



Alpha Professional Tools®



Nichigo G-Tape


MULTI-PURPOSE SURFACE PROTECTION AND REPAIR TAPE

INNOVATIVE SOLUTIONS

Key Features and Benefits

- Hand Tearing-Straight & Easy
- Residue Free Removal †
- Waterproof
- All-Weather Usage (-40°F to +200°F)
- Repositionable*
(3000 Series is Permanent)
- Great for Quick Repairs
- Highly Weather/UV Resistant
- Good Surface Protection

LDPE film
HDPE cloth
LDPE film
Acrylic PSA layer



All G-Tape™ products feature a patented combination of solvent acrylic adhesive with an advanced backing substrate that results in unmatched performance.

† Always test product on a small area before using



2" Green
(1009GR)



2" White
(1008SW)



2" Caution
(1006TG)



6" Black
(BAB0650)



2", 3", 4", 6", 9", 12" Black
(3035BK) Permanent
(3040BK) Permanent
(3045BK) Permanent

Multi-Purpose Tape




164'

Multi-Purpose Surface Protection and Repair Tape

- Hand Tearing-Straight and Easy
- Residue Free Removal
- Waterproof
- All-Weather Usage (-40°F to +200°F)
- Repositionable
- Highly Weather/UV Resistant
- Good Surface Protection
- Great for Quick Repairs
- Easily Mark Tape with Ball Point Pen, Permanent Marker, China Marker, etc.
- Available as a single roll or Case of 30 pcs.

AVAILABLE AS A SINGLE ROLL OR BY THE CASE (30)



| PART NO. | COLOR | SIZE | RECOMMENDED FOR | DESCRIPTION |
|-----------------|-------|------------------------|------------------------------|------------------------|
| 1009GR-GT-2-164 | Green | 2" x 164' (50mm x 50m) | Multi-Purpose - All Surfaces | Nichigo G-Tape™ 1009GR |
| 1009CL-GT-2-164 | Clear | 2" x 164' (50mm x 50m) | Multi-Purpose - All Surfaces | Nichigo G-Tape™ 1009CL |

Extra UV Protection



164'

Multi-Purpose Surface Protection and Repair Tape for High UV Areas

- Surface Protection of Metallic Raw Materials In Outdoor Settings
- Long Term Masking For Painting And Welding During Construction
- Easy To Tear By Hands Straight: No Cutting Tool Is Required
- Scrap-Less: Face To Face Contact Of Adhesive Separates Without Damaging The Adhesive
- High Weather Resistance: Residue Free Removal Even After 6 Months
- Repositionable - No Wrinkles When Applied
- All-Weather Usage (-40°F to +200°F)

AVAILABLE AS A SINGLE ROLL OR BY THE CASE (30)



| PART NO. | COLOR | SIZE | RECOMMENDED FOR | DESCRIPTION |
|-----------------|-------|------------------------|---------------------|------------------------|
| 1008SW-GT-2-164 | White | 2" x 164' (50mm x 50m) | Extra UV Protection | Nichigo G-Tape™ 1008SW |
| 1008BK-GT-2-164 | Black | 2" x 164' (50mm x 50m) | Extra UV Protection | Nichigo G-Tape™ 1008BK |

Permanent Adhesion

Acrylic Flashing Tape

High Adhesion Acrylic Flashing Tape



65'

- Perfect Flashing for Windows, Doors, & Deck Beams
- Hand Tearing-Straight and Easy
- Waterproof
- All-Weather Usage (-40°F to +200°F)
- AAMA 7-11 Level 3 Class A Certified
- Highly Weather/UV Resistant
- Great Performance and Ease of Use
- Permanent Adhesion
- Cleanly Removes from Face-to-Face Adhesive Contact
- Perfect for Use As A Waterproofing Tape On Outdoor Deck's Rafter
- Lightweight: 50 To 70% Lighter Than Conventional Window Flashing Tape
- Designed for Seaming, Splicing Of Insulation Sheets, House Wraps, And Wall Boards
- Scrap-Less: Face To Face Contact Of Adhesive Separates Without Damaging The Adhesive
- Ideal For Masking For Concrete, Stucco, Mortars, And Bricks
- Available as a single roll or by the case

AVAILABLE AS A SINGLE ROLL OR BY THE CASE



| PART NO. | COLOR | SIZE | TYPE | RECOMMENDED FOR | DESCRIPTION |
|-----------------|-------|-----------|-------------------------------------|------------------------|------------------------|
| 3035BK-GT-2-65 | Black | 2" x 65' | Linerless Flashing | Self-Adhering Flashing | Nichigo G-Tape™ 3035BK |
| 3035BK-GT-3-65 | Black | 3" x 65' | Linerless Flashing | Self-Adhering Flashing | Nichigo G-Tape™ 3035BK |
| 3035BK-GT-4-65 | Black | 4" x 65' | Linerless Flashing | Self-Adhering Flashing | Nichigo G-Tape™ 30435K |
| 3040BK-GT-2-65 | Black | 2" x 65' | Acrylic/Flashing | Permanent Bonding | Nichigo G-Tape™ 3040BK |
| 3040BK-GT-4-65 | Black | 4" x 65' | Acrylic/Flashing | Permanent Bonding | Nichigo G-Tape™ 3040BK |
| 3040BK-GT-6-65 | Black | 6" x 65' | Acrylic/Flashing | Permanent Bonding | Nichigo G-Tape™ 3040BK |
| 3040BK-GT-9-65 | Black | 9" x 65' | Acrylic/Flashing | Permanent Bonding | Nichigo G-Tape™ 3040BK |
| 3040BK-GT-12-65 | Black | 12" x 65' | Acrylic/Flashing | Permanent Bonding | Nichigo G-Tape™ 3040BK |
| 3045BK-GT-2-65 | Black | 2" x 65' | Premium Low Surface Energy Flashing | Seaming Rubber | Nichigo G-Tape™ 3045BK |
| 3045BK-GT-3-65 | Black | 3" x 65' | Premium Low Surface Energy Flashing | Seaming Rubber | Nichigo G-Tape™ 3045BK |
| 3045BK-GT-4-65 | Black | 4" x 65' | Premium Low Surface Energy Flashing | Seaming Rubber | Nichigo G-Tape™ 3045BK |
| 3045BK-GT-6-65 | Black | 6" x 65' | Premium Low Surface Energy Flashing | Seaming Rubber | Nichigo G-Tape™ 3045BK |
| 3045BK-GT-9-65 | Black | 9" x 65' | Premium Low Surface Energy Flashing | Seaming Rubber | Nichigo G-Tape™ 3045BK |
| 3045BK-GT-12-65 | Black | 12" x 65' | Premium Low Surface Energy Flashing | Seaming Rubber | Nichigo G-Tape™ 3045BK |



Surface Protection


164'



Repositionable Waterproof Surface Protection Tape

- Protects Surfaces from Scratches, Stains and Etching
- Easily Mark Tape with Ball Point Pen, Permanent Marker, China Marker, etc.
- Applicable for All Stone Faces Including Marble and Limestone
- Can Be Used for Wet and Dry applications

AVAILABLE AS A SINGLE ROLL OR BY THE CASE (12)



| PART NO. | COLOR | SIZE | RECOMMENDED FOR | DESCRIPTION |
|----------|-------|-------------------------|--------------------------|------------------------|
| BAB0650 | Black | 6" x 164' (150mm x 50m) | Large Surface Protection | Nichigo G-Tape™ 2010BK |

Caution Areas Tape



82'

Multi-Purpose Surface Protection and Repair Tape

- Hand Tearing-Straight and Easy
- Residue Free Removal
- Waterproof
- All-Weather Usage (-40°F to +200°F)
- Repositionable
- Highly Weather/UV Resistant
- Good Surface Protection
- Great for Quick Repairs

AVAILABLE AS A SINGLE ROLL OR BY THE CASE (30)



| PART NO. | COLOR | SIZE | RECOMMENDED FOR | DESCRIPTION |
|----------------|----------------|-----------------------|---------------------------|----------------------|
| 1006TG-GT-2-82 | Black & Yellow | 2" x 82' (50mm x 25m) | Surface Protection Series | Nichigo G-Tape™ 1000 |



16 Park Dr Ste 9, Franklin, NJ 07416 • 800-648-7229
www.alpha-tools.com

Copyright © 2023 Alpha Professional Tools. All rights reserved.



FL2230-08/23