

Alpha[®] Pneumatic Reversible Cut-Off Tool



Part No: COTR-03 Version 1













Safety Warning: Always wear eye and respiratory protection as well as proper personal safety equipment when using this product.

Comply with ANSI B7.1 and OSHA requirements.







Index No.	Parts No.	Description		Index No.	Parts No.	Description	
1	5J-842401	Motor Housing		24	30124	Pin	(4×13.8)
2	50102	Spring Pin	(3x22)	25	40343	Screw	(M5x16)
က	82-842103	Air Inlet		56	40344	Spring Washer	(M5)
4	5J-842304	Throttle Lever		27	526327	Washer	(3/8")
2	5J-842305	Pin		28	526746	Screw	
9	5J-842306	Reverse Valve		29	660230	Screw	(L M5x35)
7	40128-21	Spring Pin	(2x16)	30	52630	Cutting Wheel	(3")
8	5J-842308	Spring		31	62037	Washer	(M5)
6	75-725145	Rubber Spacer		45	51217	Spring Pin	(2x4)
10	5J-842346	Valve Stem		46	822346	Spring (5)	
11	51212	Rotor Bush		47	795847	O-Ring (2)	(15 8x2 4)
12	051220	Ball Bearing ((zz0009)	48	5J-842321	Reversing Valve Knob	
13	052213	Ball Bearing	(zz969)	49	OR03100105	O-Ring	(31x1.5)
14	5J-842314	Rear End Plate		50	82-842250	Muffler Material	
15	5J-842315	Rotor		51	5J-842353	Rear Cover	
16	5J-842316	Rotor Blade (5)		52	82-842252	Rubber Grip	
17	72017	Spring Pin	(2.5x6)	53	51228	Double Ended Spanner (2)	(14-19)
18	82018-12	Cylinder		54	10014	Hex.Key Wrench	(4mm)
19	5J-842319	Front End Plate		09	5J-842350	Safety Bar	
21	526324	Disc Cover		61	51541	Spring	
22	526722	Spindle		62	52245	Steel Ball	(3/32")
23	5J-842426	Clamp Nut					

Alpha® Pneumatic Reversible Cut-Off Tool

► FEATURES:

- Special Hub Allows for Left or Right Turning Cutting Action
- Collar Operated Easy Directional Change
- Safety Throttle Lever
- Rear Exhaust
- Powerful Motor (0.85HP/0.63 KW)

► SPECIFICATIONS:

- Free Speed: 20,000 RPM
- Cutting Disc Dimensions: 3" (75mm) x 3/8" (10mm)
- Air Inlet: 1/4" NPT
- Hose Size ID: 3/8" (10mm)
- Air Consumption: 4 CFM (113 L/min)
- Length: 8-1/16" (204mm)
- Weight: 2 lbs (0.9 kg)
- Noise Level: 85 dB (A)
- Recommended Air Pressure: 90 PSI (6.2 Bars)



Part No.: COTR-03