# **ALPHA**

# Tools for Stone/Thin Panels



Providing Better Solutions to the Professional

#### ALPHA® AWS-125



Equipped with one of the most powerful motors in its class, the AWS-125 has the strength to power through tough materials, including porcelain and engineered stones. When used with the proper blade, this wet stone cutter, equipped with a high quality water-feed system that eliminates the harmful dust particles which are common in dry cutting applications. Another safety feature included is a built-in GFCI (Ground Fault Circuit Interrupter). In addition, the AWS-125 Wet Stone Cutter includes two unique features: One is a side handle for more stability and control; the second, is the ability to accept a curve cutting blade.

Suitable for use in the shop or on the job site, the AWS-125 is ideal for any professional stone fabricator/installer or tile contractor.



Specifications:	Equipment Included:	
Rating       : 110/220 Volts         Amperage       : 11.2/5.5         Power       : 1200W         No-load Speed (min <sup>-1</sup> )       : 12,000 RPM         Weight	<ul> <li>Ground Fault Circuit Interrupter</li> <li>Water Valve and Hose</li> <li>Faucet / Garden Hose Adapter</li> <li>Wrench</li> <li>Straight Cutting Guide (reversible)</li> <li>Extra Carbon Brush Set</li> <li>Self-Stick Felt Strips</li> <li>Side Handle</li> </ul>	



#### **ALPHA<sup>®</sup> CONTOUR FOR GRANITE**



Alpha® Contour Blades are specifically designed for cutting sinkholes and other curve cutting applications on marble, porcelain and harder types of natural stone. The new Alpha® design incorporates diamonds on both sides of the steel core for better performance. The Alpha® Contour Blades fits on the Alpha® AWS-125 wet stone cutter or most common electric angle grinders to provide a convenient, safe and quick operation.

PART NO.	SIZE	MAX RPM	ARBOR
CCB005	5"	12,200	7/8"
		Oth	er sizes available



## **ALPHA<sup>®</sup> HOT-ROD**

Alpha® developed a revolutionary way to improve the efficiency of fabricators. For years, slab fabricators have employed laborintensive procedures for creating channels in the underside of countertops to accommodate stainless steel reinforcing rods at sink and cooktop cutouts. Alpha® recognized the opportunity for improvement and developed the



GRANITE

Alpha<sup>®</sup> Hot-Rod. With this blade attached to the Alpha® AWS-125 Wet Stone Cutter, or Ecocutter, a fabricator can accomplish the task in one easy pass.



PART NO.	SIZE	MAX RPM	ARBOR(S)	RECOMMENDED FOR	FOR USE ON
HR03A+	3"	14,500	7/8", 20mm	1/4" Rod	GRANITE
*May be us	sed we	t or dry	Other s	izes available.	

# ALPHA® WET CORE DRILL BIT



DRILL BIT

The Alpha® Wet Core Drill Bit is designed for drilling the faucetmounting holes in countertops and vanities. It can also be used to make clean rounded corners for square or rectangular sinkholes. The Alpha® Core Drill Bit is very versatile and can be adapted for use in construction trades wherever holes are needed for water, gas and electrical piping, especially when natural stone or WET CORE ceramic tile is already installed.



3.500

## ALPHA<sup>®</sup> APRON

DCB02000

The Alpha<sup>®</sup> Apron is uniquely designed to prevent the user from getting wet. Made of a strong vinyl material, the Alpha® Apron is lightweight, comfortable and easy to use. A flexible waistband keeps it in place (no strings or knots to tie). It can be used by anyone that polishes

with water. The Alpha® Apron can also be used to keep the dust associated with dry polishing from your clothing.





ARBOR 5/8"-11 Threaded

5/8"-11 Threaded

Other sizes available.

DESCRIPTION Apron - Regular Apron - Big & Tall



2"

## ALPHA<sup>®</sup> NUMERO UNO



Alpha® Numero Uno is designed for cutting granite, marble and engineered stone. It is available in sizes to fit most tub and tile saws. The advanced style rim reduces the risk of chipping and breaking while providing accurate and safe cuts. Alpha® Numero Uno is cost-effective and easy to use. Its unique design and capability makes

10'

NUMERO UNO

the Alpha® Numero Uno the number one choice for tile contractors and tile shops.

PART NO.	SIZE	MAXIMUM RPM	ARBOR(S)
GM10A+	10"	5,900	5/8"
		·	

\*\*Trimstone sold separately.



#### ALPHA® VSP-120

Alpha® has improved the popular VSP wet polisher series with new features to perform above and beyond your expectations! The new VSP-120 comes with variable speed control switch with an automatic speed feed-back system to maintain consistent RPMs with or without a load. This switch has also expanded the usable RPM range from 500 RPM to 2,800 RPM. The new RPM range reduces heat buildup when polishing Engineered Stone, which eliminates burning or scorching the work piece. Alpha® has also added a Splash Guard that can be trimmed to adjust the height for the best comfort and protection. Every stone fabricator

should try the new VSP-120 variable speed wet polisher to achieve the best performance and high quality results.

PART NO.	DESCRIPTION		
VSP-120	Variable Speed Wet Polisher -	120V	
VSP-230	Variable Speed Wet Polisher -	230V	
	Specifications:	Equipme	nt Included:
Amperage Power Speed (Varia Weight		<ul> <li>Water Valve a</li> </ul>	n Hose Adapter reversible) Brush Set ip

## ALPHA<sup>®</sup> PROFILERS

#### ALPHA® PROFILER B-SERIES

Alpha<sup>®</sup> Profiler B-Series, is designed to produce a roundover on granite, marble, engineered stone and porcelain tile and slab. Equipped with a 5/8"-11 female thread and internal water

PFB051

passage holes, the Alpha® Profiler B-Series will fit the AIR-658, AWP-158, VSP-120 and other brands of center water-feed polishers. The nylon guide slides along the surface and the rotary touchier controls the depth of cut to make this tool nearly "goof-proof". An operator with

little or no fabrication skills can easily create a perfect roundover on tile or slab.

PIB101

#### ALPHA<sup>®</sup> PROFILER RE-SERIES

Alpha Professional Tools<sup>®</sup> makes creating an internal bevel easy by introducing the Alpha<sup>®</sup> Profiler RE-Series. Use with a center waterfeed polisher to produce a flawless 45 degree corner piece

on granite, engineered stone, porcelain, marble and limestone tiles. Regardless of your skill level, the unique design of the nylon guide and rotary touchier makes a uniform beveled edge to obtain



PFB051	3/16"	3,500	5/8"-11 Threaded	Demi-Bullnose
			Othe	er sizes available.
•				
•				
			STATISTICS.	

ARBOR

SHAPE



a perfect square corner with	PART NO.	SIZE	MAX RPM	ARBOR	SHAPE
ease.	PIB101	3/8"	3,500	5/8"-11 Threaded	Reverse Bevel

SIZE

MAX RPM

PART NO.

#### ALPHA<sup>®</sup> PROFILER Z-SERIES

Alpha<sup>®</sup> Contour blade together with the AWS-125 Stone Cutter allows fabricators to cut a sink hole along the cut line quickly and safely. In order to shape the edge to a desired profile, Alpha<sup>®</sup> introduces the Profiler Z-Series, Vertical Grinding Wheels. Using our

Profiler Z-Series maintains a very aggressive cutting performance and

its original shape for a long time.

PF7301

- 6	

PART NO.	SIZE	MAX RPM	ARBOR	SHAPE
PFZ301	1-1/4" (3cm)	3,500	5/8"-11 Threaded	Straight
			- · ·	

Other sizes available.



# ALPHA<sup>®</sup> BACKER PADS

The Alpha<sup>®</sup> Backer Pads were developed as a part of the wet polishing system that Alpha<sup>®</sup>

ALPHA<sup>®</sup> CERAMICA EX

introduced to the North American markets. This wet polishing system guickly became the accepted method of polishing. The Alpha® Backer Pads proved to be very durable and soon became the backer pads of

> These resin discs are specifically designed to produce the highest quality shine, with the least amount of steps.

PART NO.	SIZE	TYPE			
GP45/8PD	4"	Flexible			
GP45/8RG	4"	Rigid			
Also available in 3" and 5".					

choice among fabricators, tile contractors, monumentalists and restoration workers.



BACKER PAD



on quartz surfaces and CERAMICA EX engineered stones. Works extremely well on all natural stones as well. The set consists of grits 200, 500, 1000, 2000, and 3000.

4"
RT NO.
10200R
10500R
1000R
2000R
13000R
BLACK

Also available in 3" and 5".

# ALPHA<sup>®</sup> GRINDING WHEEL

Alpha® DS Style grinding wheels are perfect for lightweight grinding and shaping work on marbles and granites. Available in a 4" size with a coarse grit, Alpha<sup>®</sup> DS Style grinding wheels fit on most common angle grinders and wet polishers.



PART NO.	SIZE	GRIT	MAX RPM	ARBOR(S)
DS4C11	4"	COARSE	14,500	5/8"-11 Threaded

DS GRINDING WHEEL



# ALPHA<sup>®</sup> FELT WHEELS

The Alpha<sup>®</sup> Felt Wheel is a very popular material for the final buff process in stone fabrication. Alpha® Felt Wheels are hook and loop backed buffing wheels designed for use with polishing powders, polishing pastes, and polishing bars to bring out a deep glossy finish on marble and delicate granite edges such as ogees & bullnoses.

# **ALPHA<sup>®</sup> TWISTOUCH TURBO**

The Alpha® Twistouch System is a safe and long-lasting polishing system that is quick and easy to use. The Twistouch System will increase performance and improve productivity, saving you time and money. The Twistouch Adapter is specially designed to accept Twistouch Turbo

PART NO.	SIZE	GRIT	MOUNT TYPE	
TU30100R	3"	100		
TU30200R	3"	200		
TU30500R	3"	500	TWICTOUCU	
TU31000R	3"	1000	TWISTOUCH	
TU32000R	3"	2000	SYSTEM	
TU33000R	3"	3000	STOTLIN	
TU3BLACK	3"	BUFF		
TU3WHITE	3"	BUFF		
TW25/8AL	2"	5/8"-11 Thread Adapter		

and Twistouch Backer Pads, which accept hook & loop backed accessories. The Alpha® Twistouch System has everything neces-

sary for all of your hand-held polishing needs



TWISTOUCH TURBO

# ALPHA<sup>®</sup> ECOCUTTER

Two years ago Alpha® introduced the Ecocutter Dry Tile Cutting System as a portable dry cutting system for tile installers. This system included the Ecocutter, table and stand. Now, Alpha Professional Tools® is offering the Ecocutter as a stand-alone tool for all your dry cutting applications. The Ecocutter (ECC-125) is equipped with a builtin impeller that generates air flow to draw dust back, and deliver it to the dust bag, thus eliminating the harmful dust particles which are common in dry cutting applications. When combined with the proper accessories, the Ecocutter is a great choice for use in the shop or on the jobsite!



ECOCUTTER

Specifications:	Equipment Included:
Rating110 Volts	Dust Hose
Amperage11.2	Dust Gate
Power	Forward Handle
No-load Speed (min <sup>-1</sup> )12,000 RPM	Hexagon Ring Spanner
Weight	Wrench
Arbor7/8" / 22.23mm	Dust Bag
Cutting Disc Diameter5" / 125mm	TT Ruler
Max. Cutting Depth1-1/8" / 29mm	Hook and Loop Strap (2pc

#### ALPHA<sup>®</sup> GUIDE RAIL SYSTEM

The Alpha<sup>®</sup> Guide Rail System is an accessory for the Alpha<sup>®</sup> Ecocutter and the AWS-125 Wet Stone Cutter. It is a collection of high quality straight edges constructed of sturdy cast aluminum. The Guide Rail System can be set up in minutes and fully supports the weight of the Ecocutter or AWS-125 wet stone cutter, allowing for machine quality cuts without the need for expensive machinery. The system has the following components: Guide Rails with clamps, a Universal Carriage Assembly and a Ecocutter Carriage Extension.

PART NO.	DESCRIPTION
GR-AG04	Aluminum Guide Rail 4' (1.2m) with 2 clamps
GR-AG07	Aluminum Guide Rail 7' (2.1m) with 2 clamps
GR-AG12	Aluminum Guide Rail 12' (3.6m) with 2 clamps
GR-AGKIT	Guide Rail Bundle (3 Rails, 6 Clamps, Connector & 4 Screws)
AWS-UCAM	Universal Carriage Assembly



7

# ALPHA<sup>®</sup> ECLIPSE II



Alpha® Eclipse II is ideal for general purpose use on common building materials such as masonry, concrete and tile. The Alpha® Eclipse II fits on the Alpha® Ecocutter, Wet Stone Cutter and most of the angle grinders commonly found in the stone and construction industries. Similar in design to Alpha® Plus, Alpha® Eclipse II is versatile and will cut tile, brick, block, concrete, slate and natural stone accurately and cleanly. Tile installers, masons and general contractors will find Alpha® Eclipse II proven

to be a reliable blade that will meet the challenges of cutting

modern building products. Alpha® Eclipse II is cost-effective, long lasting and provides consistent results without chipping. Alpha® Eclipse II has no equal when comparing price to performance.



PART NO.	SIZE	MAX RPM	ARBOR
DEE005	5"	12,200	7/8"
Other sizes available			



## ALPHA<sup>®</sup> ECLIPSE Q

Alpha<sup>®</sup> Eclipse Q is ideal for general purpose use on common building materials such as masonry, concrete and tile. Together with the Quad Drive adapter, this blade is designed to fit on most of the high-speed angle grinders for "flush cutting" commonly found in the stone and construction industries. Similar in design to Alpha<sup>®</sup> Plus, Alpha<sup>®</sup> Eclipse Q is versatile and will cut tile, brick, block, concrete, slate and natural stone accurately and cleanly. Tile installers, masons and general contractors will find Alpha<sup>®</sup> Eclipse Q to be a reliable blade that will meet the challenges of cutting modern building products. The blade is cost-effective, long lasting and provides consistent

results without chipping. The Alpha<sup>®</sup> Eclipse Q has no equal when comparing price to performance.

PART NO.	SIZE	MAX RPM	ARBOR	4	3. 2.
DEQ005	5"	12,200	20mm Quad Drive		1 (1) ····
BAH-5/8	Adapter	_	5/8"-11 Thread/Quad Drive		- 2 100 1 48 1 10
			Other sizes available.		111
					A THURSDAY
			-		ECLIPSE Q
			12 12		
			a 6		
				QUAD ADAPTER	

10 - 20

# ALPHA<sup>®</sup> KATANA



Alpha Professional Tools® is excited to introduce the Alpha® Katana. This blade is the ultimate dry cutting diamond blade for the professional tile contractor. Engineered to be the

KATANA only blade you will need for cutting all materials, such as porcelain, granite, marble, engineered stone and glazed ceramic tile. Use this blade on your Alpha® Ecocutter or AWS-125 wet stone cutter and great results every time!



PART NO.	SIZE	MAXIMUM RPM	ARBOR(S)
DPT125	5"	12,200	7/8"
		Other siz	es available.

#### ALPHA® DRY CORE DRILL BIT

The Alpha<sup>®</sup> Dry Core Bits are designed to drill the faucet-mounting holes in countertops and vanities without using water! Now you can make faucet holes at the jobsite. The bits



come in a variety of sizes, and fit on a high-speed angle grinder using the same technique. Alpha<sup>®</sup> makes it easy by eliminating the clean up time needed when using a wet application.



DDV	CORE	DIT

TRIM MASTER

DRB01375	1-3/8"	12,000	5/8"-11
DRB02000	2"	12,000	5/8"-11

Other sizes available.


# ALPHA<sup>®</sup> TRIM MASTER

Alpha Professional Tools<sup>®</sup> introduces the Trim Master: the first dry cutting diamond blade developed for Sliding Miter Saws. This new blade is specifically designed to be used at high RPM's.

This specialty blade is ideally suited for baseboards, back splashes, end caps, mirror frames and any other molding applications.



PART NO.	SIZE	MAX RPM	THREAD
TM10A+	10"	5,900	5/8"



# ALPHA<sup>®</sup> SAFETY GLASSES

The Alpha<sup>®</sup> Safety Glasses have a lightweight frame with padded temples. The wrap around design provides superior protection while assuring a comfortable wear for the entire work day.

#### Features:

- Lightweight Wrap Style Frame
- Clear Anti-Scratch Lenses
- Soft Rubber Nose Bridge
- Rubber Tipped
- Adjustable Side Arms



Safety Glasses

12 pcs


Red in F

### ALPHA<sup>®</sup> VB TRIMMER BIT

173002

Alpha® Trimmer Bit is very versatile and can be adapted for use in construction trades wherever non-standard shaped cutouts, are needed such as, electrical receptacles, water-valve holes, drains, shower knobs, etc.

The vacuumed brazed technology is specifically designed to provide an extended life when used on granites, engineered and natural stones, porcelain and ceramic tiles.



PART NO.	SIZE	USABLE LENGTH	MAXIMUM RPM	SHANK
DTB00250	1/4"	2"	33,000	1/4"

\* Can be used wet

# ALPHA<sup>®</sup> ELECTROPLATED DRILL BIT



VACUUMED BRAZED



Alpha<sup>®</sup> Electroplated Drill Bit drills anchor holes on thin materials such as tile, for hardware preinstallation or post-installation. Can be used on a standard drill, or with an adapter, can be used on a polisher with a 5/8"-11 spindle.

PART NO.	SIZE	MAXIMUM RPM	SHANK
CH7206	1/4"	3,500	3/8"
CH7212	1/2"	3,500	3/8"



ELECTROPLATED DRILL BIT



Providing Better Solutions to the Professional

#### Tile Bullnose Kit

#### Scratch Removal Kit

#### Countertop Trim Kit



- · Save Time and Money
- Quality Finish Without the Factory
- Goof-Proof Hand-Held
   Application

Kit Includes:

VSP-120, PFB101, GP45/8PD, EX40200R, EX40500R, EX41000R, EX42000R, EX43000R, AVWAPRON and DVD-170008

PART NO.	DESCRIPTION
5480-1200	Tile Bullnose Kit



- Essential Kit for Stone
   Fabricators
- Premium System for Flat Surface Polishing
- · Includes Easy How-to-Video

<u>Kit Includes</u>: AWP-158, TU30100R, TU30200R, TU30500R, TU31000R, TU32000R, TU33000R, TU3BLACK, TW25/8AL, AVWAPRON and DVD-170004

PART NO.	DESCRIPTION
5480-1580	Scratch Removal Kit



- Machine Quality Cuts
- High-Quality Construction
- · Easy Set-up and Operation

<u>Kit Includes</u>: AWS-125, AWS-UCAM, GR-AG04, DEE005 and DVD-170007

PART NO.	DESCRIPTION
5480-4125	Countertop Trim Kit



#### **Product Literature**

#### Catalogs

Alpha<sup>®</sup> has extracted portions of our complete Product Catalog to create catalogs specifically for Tile Contractors and Stone Fabricators. These new catalogs are portable handbooks that illustrate the tools and accessories needed for Cutting, Profiling, Grinding, Drilling and Polishing all types of tile and stone.

#### **Specialized Booklets**

Alpha® has also created specialized booklets showcasing the tools needed to fabricate concrete, crystallized glass, thin-panel and pre-fabricated granite blanks, just to name a few.

To request these catalogs, or for more information about our product line, visit our website at www. alpha-tools.com or contact us at 800-648-7229.

See our products in action via our FREE Promotional DVDS!

#### **Educational Materials**

With the increasing demand for custom fabrication and installation of kitchen countertops and bathroom vanities, Alpha Professional Tools<sup>®</sup> has created an educational product line to include granite countertops, crystallized glass and pre-fabricated countertop blanks. These step-by-step videos guide the viewer through fabrication and installation techniques.

#### Alpha® Tool Repair Service

- Authorized repair centers in the USA and Canada
- All tool repairs carry a 30-day warranty
- Quick turn-around time
- · Technical support for repair and maintenance
- Order replacement tool parts directly from Alpha<sup>®</sup>
- Loaner program available



#### 🥪 Alpha Professional Tools°

103 Bauer Drive Oakland, NJ 07436 800-648-7229 • Fax: 800-286-0114 3625 W.Teco Ave, Suite #5 Las Vegas, NV 89118 888-292-5742 • Fax: 702-837-9516

#### www.alpha-tools.com

Ver. 1 - 09/08

Copyright © 2008 Alpha Professional Tools. All rights reserved

172010



