

ALPHA®

TOOLS FOR HARDSCAPE CONTRACTORS

CUTTING, PROFILING & POLISHING



*Providing Better Solutions to
the Professional*

**VERSION
04/2025**

www.alpha-tools.com



WELCOME

Alpha Professional Tools® was founded in 1986 and has become a leading manufacturer of quality tools for professionals in the natural/engineered stone, porcelain, ceramic, glass, construction and hardscape industries. Alpha® provides the best products for cutting, drilling, shaping and polishing all types of materials.

In addition to providing the best products in the industry, Alpha Professional Tools® offers a variety of services to support their products.

Company Contact Information:

Headquarters & Training Center:	16 Park Drive Franklin, NJ 07416
Hours of Operation (EST):	8:30 a.m. - 5:00 p.m.
Telephone No:	201-337-3343
Toll-Free No:	800-648-7229

E-mail Orders to: orderdesk@alpha-tools.com tooldesk@alpha-tools.com	Contact Us: www.alpha-tools.com info@alpha-tools.com
--	--

Follow Us:



Sales Contacts by Territory – sales@alpha-tools.com

Canada	519-546-9861	Pacific	800-648-7229
Caribbean	201-337-3343	South	480-848-6808
International	201-337-3343	Southeast	678-977-1147
Midwest	630-849-7105	West	925-428-1292
Northeast	973-600-7765	National Sales Mgr	973-830-7681
Ohio Valley	440-364-3759		

TOOLS

RAIL SAWS

- BBS-012 Wet Rail Saw For Large Format Tiles 5
- BBS-014 Wet Rail Saw for Tile, Stone & Pavers 6

GRINDER

- ECG-900, Turnkey 9" Wet Electric Grinder 7

STONE CUTTER

- ESC-150, 6" Wet/Dry Stone Cutter 9
- ESC-150, 6" Miter Cutting Kit 11
- ESC-125, 5" Wet/Dry Stone Cutter 12
- ESC-125 Channel Cutting Kit 13
- ECC-125, Virtually Dust-Free Cutting Solution 14
- ECC-KIT, Dry Porcelain Paver Tile Cutting System 15

POLISHERS

- AIR-680UW, High-Performance Underwater Pneumatic Polisher 16
- PlasterKing Resin Polishing Pads 18
- VDP-700, Variable Speed Rotary Polisher 19
- Wool Pads 21
- Rotary Backer Pads 21
- VSP-320, Variable Speed Wet Polisher 23

POLISHING KITS

- Pool Coping Kit 22
- Paver Tile Bullnose Kit 24
- Modern Edge Coping Kit 25
- Eased Edge/Tile Bullnose Kit 25

CUTTING

DRY BLADES

- HardscapePro Q, High-Performance Blade for Hardscape 26
- Katana, The Ultimate Dry Blade for All Tiles 26
- Katana Q, The Ultimate WET/Dry Blade for Porcelain/sintered slab 27
- Libero 27
- Elite Q, High-Performance Blade for Eng. Stone, Granite & Quartzite 28
- Quad W Adapters 28
- Plus 29
- Ultracut GPM 29

WET BLADES

- Q-Cut 30
- Porcellana 31
- Porcellana PRS 31
- Vetro 32
- Vetro PRS 32

FLUSH CUTTING BLADES

- Vortex for Granite 33
- Vortex for Marble 33
- Ultracut APR 34

CURVE CUTTING BLADES

- Contour for Porcelain/Crystallized Glass 35
- Contour for Granite 36

CHANNEL CUTTING BLADES

- Hot-Rod Blade 37

BLADES FOR ENGINE CUTTER

- PT Cutter 38
- Mason Master 38
- Rescue Blade 39
- Tuckpoint Blade 39

TABLE OF CONTENTS

BLADE ACCESSORIES

• Diamond Blade Redressing Tool.....	40
• Dressing Stick.....	40
• Quad Adapters.....	40

PROFILING

PROFILERS

• Profiler B-Series.....	41
• Profiler Z-Series.....	42
• Profiler V-Series.....	42

GRINDING & SANDING

• Spike Disc.....	43
-------------------	----

DRILLING

CORE DRILL BITS

• Laser Core Bit / Core Bit Extender.....	44
---	----

TRIMMER BITS

• Vacuum Brazed Trimmer Bit.....	46
----------------------------------	----

DRILL BITS

• Electroplated Drill Bits.....	46
---------------------------------	----

DRILL BIT ACCESSORIES

• Drill Bit Guide.....	47
------------------------	----

POLISHING

DIAMOND PADS

• Diamond Hand Pads.....	48
• Ceramica EX.....	49
• Ceramica Metal.....	49
• Sandpaper.....	50

POLISHING WHEELS

• Antique Brush Wheels.....	50
-----------------------------	----

ACCESSORIES

BACKER PADS

• Rigid Backer Pads.....	51
• Flexible Backer Pads.....	51
• GV Backer Pads.....	51

DUST-FREE GUARDS

• Ecoguard GX.....	52
• Ecoguard CX.....	53
• Pull-To-Cut Dust Shroud Kits.....	53
• Ecoguard CD.....	54
• Ecoguard G7.....	54
• Ecoguard W6 / W9.....	55
• HEPA Wet/Dry Vacuum.....	56

MISCELLANEOUS

• 5", 6" & 9" Wet Blade Cutting Kits.....	58
• Wet Sanding & Polishing Kit.....	59
• High-Visibility Lumbar Support Belt.....	59
• High-Visibility Safety Vest.....	60
• Safety Glasses.....	60
• Ground Fault Circuit Interrupter.....	60
• Hoodie Apron.....	61
• Aprons.....	62
• EZ Click2 Leveling System.....	64
• G-Tape.....	65
• RSR-2000 Stain Removers.....	69
• Akemi Glue.....	70



BLACK BELT | Wet Cutting System

BBS-012

WET RAIL SAW FOR LARGE
FORMAT TILES

- Rugged Aluminum Table Chassis For Stable Operation
- Cuts Up To 2-1/4" Deep In A Single Pass, 3-3/8" With Step Cut
- Supports 10" & 12" Blades With 1" And 60mm Arbors
- Cutting System's Side Tilt Capability Eases Up To 45 Degree Cut (Ideal For Miter Cuts)
- Retractable Legs Include A Fall-Protection Device
- Table Handles And Heavy-Duty Wheels Make For Easy Transportation
- One Year Tool Warranty*

SPECIFICATION	DATA
Model	BBS-012
Rating	115 Volts
Amperage	9.6A
Frequency	Single-phase AC, 60Hz
Power	1200 W
Max. RPM	2,800
Max. HP	2.0 HP (1.5KW)
Weight	128 lbs (58 kgs)
Arbor	1" (25.4mm) & 60mm
Cutting Disc Diameter	10" / 12" (250mm / 300mm)
Max. Cutting Depth	2-1/4" Single Pass, 3-3/8" Step Cut
Max. Cutting Length	Straight 51" (130cm), Diagonal 33" (84cm)
Cord	16.4ft (5m) Single Phase
Plug Type	16A 120V ~ 2P+T

ITEM	QUANTITY
BBS-012 Standard Accessories	1
BBS12WHL Fat Tire Set	1



PART NO.	MAXIMUM RPM	TYPE	DESCRIPTION
BBS-012	2,800	1.5KW - 2HP	Black Belt Rail Saw 115V
BBS8ROLL	<i>RECOMMENDED FOR:</i> Widening the Work Surface		8-Roller Side Table
BBSUSIDE	<i>RECOMMENDED FOR:</i> Holding Multiple Tiles in Place		Side Counter-cut


BBS-014

WET RAIL SAW FOR TILE, STONE & PAVERS



- Rugged Aluminum Table Chassis For Stable Operation
- Cut Up To 4" Deep In A Single Pass, 5" With Step Cut
- Supports 12" & 14" Blades With 1" And 60mm Arbors
- Cutting System's Side Tilt Capability Eases Up To 45 Degree Cut (Ideal For Miter Cuts)
- Retractable Legs Include A Fall-Protection Device
- Table Handles And Heavy-Duty Wheels Make For Easy Transportation
- One Year Tool Warranty*

SPECIFICATION	DATA	ITEM	QUANTITY
Model	BBS-014	BBS-012 Standard Accessories	1
Rating	230Volts		
Amperage	13.5A		
Frequency	Single-phase AC, 60Hz	BBS12WHL Fat Tire Set	1
Power	1200 W		
Max. RPM	2,800		
Max. HP	3.0 HP (2.2KW)		
Weight	231 lbs (105 kgs)		
Arbor	1" (25.4mm) & 60mm		
Cutting Disc Diameter	12" / 14" (300mm / 350mm)		
Max. Cutting Depth	5" (125mm)		
Max. Cutting Length	51" (130cm)		
Cord	13.1ft (4m) Single Phase		
Plug Type	16A 120V ~ 2P+T		



PART NO.	MAXIMUM RPM	TYPE	DESCRIPTION
BBS-014	2,800	2.2KW - 3HP	Black Belt Rail Saw 230V
BBS8ROLL	<i>RECOMMENDED FOR:</i> Widening the Work Surface		8-Roller Side Table
BBSUSIDE	<i>RECOMMENDED FOR:</i> Holding Multiple Tiles in Place		Side Counter-cut



THE ULTIMATE WET/DRY GENERAL PURPOSE BLADE FOR ALL RAIL SAWS

- Standard On the Alpha® Black Belt Wet Rail Saws for all Applications
- Designed For Limestone/Blue Stone/Travertine/Granite/Porcelain Paver And Any Other Popular Stone/Tile and Hardscape Materials
- Wet/Dry Applications

12" Diameter With 1" Arbor
For Rail Saw Applications

NEW

ECG-900

TURNKEY 9" WET CUTTING SYSTEM



ECG-900 + MasonMaster Blade cutting

Laser-Welded Segments for Fast Cutting and A Long Life!



ECG-900 + Profiler Series profiling

Create a Profile on the Edge Up to 2.4 Inches Thick Material!



ECG-900 + Laser Corebit core drilling

Great for Jobsite Drilling!



ECG-900 + Ecoguard G7 + HEPA Vacuum + Spike Disc grinding

Coating Removal Made Easy!



ECG-900

9" WET HIGH-SPEED
ELECTRIC ANGLE GRINDER

- Wet High-Speed Electric Angle Grinder for Concrete, Stone and The Hardscape Industry
- Can be used for Cutting, Grinding, Profiling and Core Drilling
- Rotating Handle, C-Handle and Shockproof Side Handle, with Extension Bracket, Makes for A Comfortable and Safe Application
- Memory Wrap Keeps Cords/Hoses Organized
- Quad-W5 Drive Delivers Water to the Cutting Edge Efficiently
- A MasonMaster 9" Blade (MM00912) Is Included To Start Cutting Immediately
- Can Be Used Dry with An Ecoguard and HEPA Vacuum
- One Year Warranty (See website for details)

SPECIFICATION	DATA
Model	ECG-900 /ECG-914
Rating	110/220 Volts
Amperage	15A/7.2A
Power Supply	Single-phase AC, 50,60Hz
No Load Speed (min-1)	6,200
Weight	12.3 lbs (5.6 kgs)
Spindle	5/8"-11/M14-2
Cutting Disc Diameter	9" (230mm)
Max. Cutting Depth	3-3/8" (87mm)
Cord	15ft (4.5m) (14 AWG)
Plug Type	A (110V) / C (220V)


ITEM	QUANTITY
9" Blade Guard Assembly	1
9" MasonMaster Blade	1
Quad-W5 Adapter Assembly	1
C-Handle Assembly	1
Side Handle Extension Bracket Assembly	1
Carbon Brush Set	1
Hex Wrench (6mm)	1
Side Handle	1
Ground Fault Circuit Interrupter	1
Splash Guard	1
Water Hose (15ft/4.5m)	1
Quick Connect w/ Shut off Valve	1
Memory Wrap (3ft/1m)	1

PART NO.	SIZE	MAX RPM	TYPE	THREADS	DESCRIPTION
ECG-900	9"	6,200	110V	5/8"-11	Wet High-Speed Electric Angle Grinder
ECG-914	9"	6,200	220V	M14-2	Wet High-Speed Electric Angle Grinder
QUAW5058				5/8"-11	5-Hole Aluminum Adapter (7/8" Arbor)
QUAW5M14				M14-2	5-Hole Aluminum Adapter (22mm Arbor)

ESC-150

6" WET/DRY STONE CUTTER

ELECTRIC STONE CUTTER FOR INDUSTRIAL APPLICATIONS



ESC-150

6" WET/DRY STONE CUTTER



- Powerful Motor For Use On Granite, Quartz Surfaces, Marble, Limestone, Concrete & Porcelain Pavers
- Capable of Miter Cutting 1-1/4" (3cm) Material w/Ease
- Kink-Free Water Hose for Easy Maneuverability and Reducing Operator Fatigue
- Great For Sink-Hole Cutting, Groove Cutting/ Rodding
- Comes with A Built in Dust Gate for Dustless Cutting When Connected to A HEPA Vacuum
- Miter Cutting Kit available with ESC-150/ESC-250
- One Year Tool Warranty* (*See website for details)




SPECIFICATION	DATA
Model	ESC-150/ESC-250
Rating	110/220 Volts
Amperage	11.2A /5.5A
Power	1200W
No Load Speed (min-1)	10,000 RPM
Weight	11.30 lbs (5.12 kgs)
Arbor	7/8" (22.23mm)
Cutting Disc Diameter	6" (150mm)
Max. Cutting Depth	2" (50.88mm)
Cord	15ft (4.5m)Single-Phase
Plug Type	A (110V) / C (220V)

ITEM	QUANTITY
Side Handle	1
Screw (M6x30-Left)	1
Flange 3	1
Water Hose Assembly (15ft/4.5m)	1
Water Quick Coupler w/Shut-off Valve	1
Carbon Brush Set	1
Water Valve Assembly	1
SS Flat Head Screw (M4x10)	3
Ground Fault Circuit Interrupter	1
End Cap	1
T-Handle Wrench	1
Open-End Wrench (17mm)	1
Easy On-Easy Off Sleeve	1
Self-stick Felt Strip Set	1
Hex. Wrench (5mm)	1


PART NO.	SIZE	MAXIMUM RPM	TYPE	ARBOR(S)	DESCRIPTION
ESC-150	6"	10,000	110V	7/8" (22.23mm)	Wet/Dry Stone Cutter
ESC-250	6"	10,000	220V	7/8" (22.23mm)	Wet/Dry Stone Cutter

ESC-150

MITER CUTTING KIT



SAVE TIME & INCREASE PRODUCTIVITY



- Wet/Dry Electric Stone Cutters for Industrial Applications
- Powerful Motor For Use On Granite, Quartz Surfaces, Marble, Limestone, Concrete & Sintered/Porcelain Slabs
- One-Time setup on the Guide Rail allows for two different miter cut positions for lamination
- Precise Miter Cutting to create Pool Copings, Step Treads, Risers, Wall and Pillar Caps
- Miter Cuts 1-1/4" (3cm) Materials with Ease

PART NO.	SIZE	TYPE	ARBOR(S)	DESCRIPTION
5480-5150	6"	110V	7/8" (22.23mm)	ESC-150 Miter Cutting Kit
5480-5152	6"	220V	7/8" (22.23mm)	ESC-250 Miter Cutting Kit

KIT INCLUDES: (2) ESC-150 Electric Wet/Dry Stone Cutters, (2) ASC-6CSM Guide Rail Carriage Assemblies, (2) 6" Eclipse II Blade (DEE0006), ASC Series Guide Rail Set (ASC-GR04, ASC-GR07, ASC-GR12), Surface Protection Tape (BAB0650)

ESC-125

5" WET/DRY STONE CUTTER



- Precision Cuts Everytime
- Powerful Motor For Use On Porcelain Paver Tile, Granite, Quartz Surfaces, Marble, Limestone, Concrete and Sintered Slabs
- Water-Feed Supply Eliminates The Harmful Dust Particles
- Base Plate Allows Guides To Be Used in Multiple Ways
- Dust Cover for HEPA Vacuum Connection
- New Clamping System Ensures Cutting Stability
- Included Self-Stick Felt Strips Protects The Work Surface From Scratches
- Built-In GFCI (Ground Fault Circuit Interrupter)
- Great For Use With Curve Cutting Blades
- One Year Warranty (See *website* for details)


SPECIFICATION	DATA
Model	ESC-125/ESC-225
Rating	110/220 Volts
Amperage	11.2A / 5.5A
Power	1200W
No Load Speed (min-1)	12,000 RPM
Weight	8.9 lbs (4.0 kgs)
Arbor	7/8" (22.23mm)
Cutting Disc Diameter	5" (125mm)
Plug Type	A (110V) / C (220V)
Cord	15ft (4.5m) Single-Phase
Max. Cutting Depth	1-5/8" (41mm)

ITEM	QUANTITY
Dust Cover	1
Knob Bolt	3
TT Ruler Guide	1
Water Hose Assembly	1
Quick Connect Adapter	1
Side Handle	1
Screw (M6x30-Left)	1
Flange 3	1
Carbon Brush Set	1
T-Handle Wrench	1
Open-End Wrench (22mm)	1
Self-stick Felt Strip Set	1
GFCI	1
EasyOn-EasyOff Sleeve	1
SS Flat Head Screw (M4×10)	3
Water Valve Assembly	1

PART NO.	SIZE	TYPE	ARBOR(S)	DESCRIPTION
ESC-125	5"	110V	7/8" (22.23mm)	Wet/Dry Stone Cutter
ESC-225	5"	220V	7/8" (22.23mm)	Wet/Dry Stone Cutter

ESC-125

CHANNEL CUTTING KITS



- Precision Cuts Everytime for Anti-Slip Grooves and Water Drip
- Great for Making Stair Treads
- Water-Feed Supply eliminates The Harmful Dust Particles
- Dust Cover for HEPA Vacuum Connection
- Built-In GFCI (Ground Fault Circuit Interrupter)
- Choice Of Kits Available: ESC-125 And Either Hot-Rod Blade For Porcelain Paver Tile (HP03A+) Or Hot-Rod For All Other Stones (HQ03A+)

PART NO.	SIZE	TYPE	ARBOR(S)	DESCRIPTION
5480-5200	5"	110V	7/8" (22.23mm)	Porcelain Channel Cutting Kit
5480-5210	5"	110V	7/8" (22.23mm)	General Channel Cutting Kit

ECC-125

DUSTLESS DRY CUTTING SYSTEM



- Virtually Dust-Free
- Portable Cutting System
- Accurate Cutting Performance
- Eliminates Downtime
- Built-in In-line circuit breaker
- Great for Grout Removal, Crack Chasing & Concrete Profiling
- One Year Warranty (See website for details)

SPECIFICATION	DATA
Model	ECC-125
Rating	110 Volts
Amperage	11.2A
Power	1200W
No Load Speed (min-1)	12,000 RPM
Weight	9.5 lbs (4.3 kgs)
Arbor	7/8" (22.23mm)
Cutting Diameter	5" (125mm)
Maximum Cutting Depth	1-1/8" (29mm)

ITEM	QUANTITY
Dust Hose	1
Dust Gate	1
Side Handle	1
Hexagon Ring Spanner	1
Wrench	1
Dust Bag	1
TT Ruler	1
Hook & Loop Strap	2

PART NO.	SIZE	TYPE	ARBOR(S)	DESCRIPTION
ECC-125	5"	110V	7/8" (22.23mm)	Ecocutter
133544	17" x 13-1/2" x 12"			Dust Bag w/strap



ECC-KIT

DRY PORCELAIN PAVER
TILE CUTTING SYSTEM

- Virtually Dust-Free
- Portable Cutting System
- Accurate Cutting Performance
- Eliminates Downtime and The Messy Cleanup
- Built-In Breaker Assembly
- Holds 3/4" Thick Porcelain Paver Tile
- One Year Tool Warranty (*See website for details*)

SPECIFICATION	DATA
Model	ECC-KIT (ECC-125)
Rating	110 Volts
Amperage	11.2
Power	1200W
No Load Speed (min-1)	12,000 RPM
Weight	9.5 lbs (4.3 kgs)
Arbor	7/8" (22.23mm)
Cutting Diameter	5"(125mm)
Maximum Cutting Depth	1-1/8" (29mm) (without Ecocutter Table)

EQUIPMENT INCLUDED	QUANTITY
ECC-125	1
Dust Hose	1
Dust Gate	1
Side Handle	1
Hexagon Ring Spanner	1
Wrench	1
Dust Bag	1
TT Ruler Guide	1
Hook & Loop Strap	2
Ecocutter Table	1
Ecocutter Stand	1
Alpha® Ultracut GPM Blade 5"	1
Basic Instructional DVD	1

PART NO.	SIZE	TYPE	ARBOR(S)	DESCRIPTION
ECC-KIT	5"	110V	7/8" (22.23mm)	Dry Cutting System
ECC-125	5"	110V	7/8" (22.23mm)	Ecocutter
133544	17"x13-1/2 x 12"			Dust Bag w/strap
ECC-STAND				Dry Cutting System Stand
ECC-TABLE				Dry Cutting System Table
170005				Ecocutter DVD
PART NO.	SIZE	THICKNESS	MAX RPM	ARBOR(S)
GPM0578	5"	1.5mm	12,200	7/8"

POLISERS

NOW INCLUDES:
7" PLASTERKING RESIN PADS

AIR-680UW

HIGH-PERFORMANCE
PNEUMATIC POLISER BUILT FOR
UNDERWATER APPLICATIONS

**Ergonomic and lightweight
for better maneuverability**



**Enhanced
Spindle Shaft
for Easy
Tool Removal**
(Wrench Included)



AIR-680UW

HIGH-PERFORMANCE UNDERWATER PNEUMATIC POLISHER



- Central Water-Feed System Delivers Ample Water Regardless of Position for Plaster Polishing
- No-Load RPM- 4,000
- 15ft. All-Weather Air & Water Hoses with Flexibility Down To -40°F Or +140°F
- 30ft. All-Weather Air Hose with Flexibility Down To -40°F Or +140°F
- 27ft. Flexible Exhaust Hose included
- 7" Flexible Backer Pad included
- Lightweight and Ergonomically Designed for Better Maneuverability

- Side and C-Handle are Standard Accessories
- Enhanced Spindle Shaft for Easy Tool Removal (Wrench Included)
- One Year Warranty* (*See website for details)


ITEM	QUANTITY
Air Hose (15ft / 4.5m)	1
Water Hose (15ft / 4.5m)	1
Air Hose (30ft / 9.0m)	1
Side Handle (reversible)	1
C-Handle	1
Double End Wrench (19mm/22mm)	1
Screw (w/O-Ring Seal for Oil Port)	1
Phillips Screwdriver (P1)	1
Exhaust Hose with Clamp	1
Flexible Vacuum Hose (27ft / 8.1m)	1
Water Quick Coupler w/Shut Off Valve	1
Rust Inhibitor Oil (6.7oz / 200ml)	1
Rotary Backer Pad 7" (MP758HL)	1
PlasterKing Polishing Pad 7" #50	1
PlasterKing Polishing Pad 7" #100	1

SPECIFICATION	DATA
Model	AIR-680UW
Air Pressure	85 PSI (6 Bar)
Air Consumption	15 CFM (425L/min)
Weight	2.64lbs (1.2 kgs)
No load Speed	4,000 RPM
Air Inlet	1/4" BSPP
Water Inlet	1/8" BSPP
Spindle	5/8"-11

PART NO.	SIZE	THICKNESS	MAXIMUM RPM	TYPE	THREADS	RECOMMENDED FOR
AIR-680UW			4,000	Pneumatic Polisher	5/8"-11	Underwater Wet Polishing, Drilling & Profiling
PS070050	7"	5mm	5,500	Hook & Loop		Pool Plaster
PS070100	7"	5mm	5,500	Hook & Loop		Pool Plaster

PLASTERING RESIN

POOL PLASTER POLISHING PADS



- Consistent performance through the life of disc
- 5mm thick diamond layer ensure a long life
- Plastering offers you the best cost/performance on the market
- Available in 7" and 9" diameter
- Grit #50 for aggressive grinding and Grit #100 for finishing
- Works with variety of tools that are used in the trade.



PART NO.	SIZE	THICKNESS	MAX RPM	GRIT	COLOR
PS070050	7"	5mm	5,500	50	Yellow
PS070100	7"	5mm	5,500	100	Red
PS090050	9"	5mm	5,500	50	Yellow
PS090100	9"	5mm	5,500	100	Red
MP758HL	7"	Rotary Backer Pad — 5/8"-11 Thread			

VDP-700

VARIABLE SPEED ROTARY POLISHER



VDP-700

WET/DRY VARIABLE SPEED ROTARY POLISHER



*Backer and Pad Not Included

- Variable Speed 700-3500 RPM with Soft Start
- Designed For The Polishing Professional
- Heavy-Duty Precision Gear System
- Powerful 11.0 Amp (rated) Motor
- Built-in Speed Stabilizer for Constant Speed Output
- Configured with A Long-life Motor and Carbon Brushes
- 25ft. 14 AWG Electrical Power Cord
- Lightweight for Better Manueverability
- Industrial Quality Polisher
- C-Handle & Side Handle for User Convenience
- One Year Warranty (See website for details)

SPECIFICATION	DATA
Model	VDP-700/VDP-714
Rating	120/230 Volts
Amperage	11.0A / 5.4A
Power	1250W (Rated), 1900W (Maximum)
No Load Speed (Variable)	700~3500 RPM w/Soft Start
Weight	6.4 lbs (2.9 kgs)
Spindle	5/8"-11 / M14-2
Power Supply	Single-phase AC, 50/60Hz
Plug Type	A (120V) / C(230V)
Cord	25ft (7.6m) / 16.8ft (5.1m) (14 AWG)
Backing Plate Size	7" (178mm) (Maximum)
Polishing Disc Size	9" (228mm) (Maximum)

ITEM	QUANTITY
Spanner Wrench	1
Hex Wrench	1
C-Handle w/Mounting Screws	1
Side Handle	1
Extra Carbon Brush Set	1



*Backer and Pad Not Included

PART NO.	SIZE	MAXIMUM RPM	TYPE	THREADS	DESCRIPTION
VDP-700	7"	700-3500	120V	5/8"-11	Variable Speed Rotary Polisher
VDP-714	7"	700-3500	230V	M14-2	Variable Speed Rotary Polisher

WET SANDING/
POLISHING KIT

KIT Part # WSPKIT



(optional)

WOOL PADS

REMOVES DEEP SCRATCHES WITH EASE



- Premium Performance and Heat-Resistant
- Smoother Handling and Reduced Vibration
- For Use on Rotary Polishers

PART NO.	SIZE	TYPE	RECOMMENDED FOR	MATERIAL	GRIT
WP003160	3"	Hook & Loop	Heavy Cutting	High-Nap Knitted Wool	T160
WP006160	6"	Hook & Loop	Heavy Cutting	High-Nap Knitted Wool	T160
WP007160	7"	Hook & Loop	Heavy Cutting	High-Nap Knitted Wool	T160

ROTARY BACKER PAD


FOR USE ON ROTARY POLISHERS



- Soft Molded Urethane With Flexible Edge
- Urethane Backing Makes for Greater Flexibility and Excellent Polishing
- Ideal for Contour Polishing
- For Use with Foam, Wool & Microfiber Pads
- Hook & Loop Allows for Fast Pad Changes
- Well Balanced for Smooth Polishing
- Absorbs Vibrations and Has Great Rebound Performance



Hook & Loop



Adhesive

PART NO.	SIZE	TYPE	RECOMMENDED FOR	THREADS
MP358HL	3"	Hook & Loop	Foam, Wool & Microfiber Pads	5/8"-11
MP558HL	5"	Hook & Loop	Foam, Wool & Microfiber Pads	5/8"-11
MP658HL	6"	Hook & Loop	Foam, Wool & Microfiber Pads	5/8"-11
MP758HL	7"	Hook & Loop	Foam, Wool & Microfiber Pads	5/8"-11
MP858HL	8"	Hook & Loop	Foam, Wool & Microfiber Pads	5/8"-11
MP858GL	8"	Adhesive	Foam, Wool & Microfiber Pads	5/8"-11

2" POOL COPING KIT

PROFILING

SANDING



KIT INCLUDES

VDP-700 VARIABLE SPEED ROTARY POLISHER

Professional Grade Industrial Polisher
Part #: **VDP-700**

WET SANDING/POLISHING KIT

Designed to convert a Variable Grinder, Sander or Polisher into a Wet Sanding/Polishing Tool
Part #: **WSPKIT**

PROFILER V

Creates A Perfect Bullnose/ Roundover Edge Treatment
Part #: **PFV501**

FLEXIBLE BACKER PAD 5"

High-Quality Backer Pad Is Extremely Flexible
Part #: **GP55/8PD**

SANDPAPER #80 GRIT

Multi-Purpose Sanding of Marble & Softer Types of Natural Stone
Part #: **MP50080**

MULTI-PURPOSE WATERPROOF APRON SLEEVELESS

Part #: **APRON2000**



KIT Part # 5480-6100

PART NO.	RECOMMENDED FOR	DESCRIPTION
5480-6100	Pool Coping	Pool Coping Kit

VSP-320

VARIABLE SPEED
WET POLISHER



- Variable Speed 700-2500 RPM
- Heavy-Duty Gear System with Step-Down Transmission
- 15ft. Flexible All-Weather Water Hose
- 15ft. Electrical Power Cord Has An Inline GFCI
- EasyOn-EasyOff Sleeve Improves Maneuverability
- Adjustable Splash Guard
- Center Water-Feed System
- Ventilation Cap Diverts Water from Getting Into Motor Housing
- C-Handle & Side Handle for User Convenience
- One Year Warranty (See website for details)

SPECIFICATION	DATA
Model	VSP-320
Rating	120 Volts
Amperage	7.0A
Power	800W
No Load Speed (Variable)	700~2500 RPM
Weight	7.3 lbs (3.3 kgs)
Spindle	5/8"-11
Power Supply	Single-phase AC, 50/60Hz
Plug Type	A (120V)
Cord	15ft (4.5m)
Polishing Disc Size	4" (100mm)

PART NO.	TYPE	DESCRIPTION
VSP-320	120V	Variable Speed Wet Polisher



ITEM	QUANTITY
Ground Fault Circuit Interrupter*	1
Flexible Hose w/ Garden Hose Adapter*	1
Wrench	1
C-Handle w/ Mounting Screws*	1
Side Handle (Reversible)	1
Extra Carbon Brush Set	1
Ventilation Cap w/ Rubber Band*	1
Splash Guard w/ Clamp	1
EasyOn-EasyOff Sleeve*	1



*Factory Attached

PAVER TILE BULLNOSE KIT


CREATES A FACTORY FINISH ON-SITE



- Designed To Create A Full Bullnose Edge On 3/4" (2cm) Porcelain Paver Tiles
- Goof-Proof Hand-Held Application
- Quality Finish Without The Factory
- Save Time and Money
- Has Everything You Need
- Kit Contains: VSP-320 Polisher, Profiler V, 4" Ceramica EX Polishing Discs, 4" Flexible Backer Pad and Apron
- One Year Tool Warranty (See website for details)



KIT INCLUDES:
 VSP-320, PFV201, GP45/8PD, EX40200R,
 EX40500R, EX41000R, EX42000R, EX43000R
 and APRON2000



PART NO.	DESCRIPTION
5480-1230	Paver Tile Bullnose Kit (VSP-320)

MODERN EDGE
COPING KIT

CREATES A UNIFORM BEVELED
EDGE FOR MODERN LOOKS



KIT CONTAINS: VSP-320, Beveling Auxiliary Base (BAB1590), Dust/Splash Guard (BAB3GRD), 3" Rigid Backer Pad (GP35/8RG), 3" Ceramica Metal #300 Disc (FD30300M) and Multi-Purpose Waterproof Apron Sleeveless (APRON2000)

- Grind and Polish from 15 degree Hollywood Bevel to 45 degree Beveled Edge or Straight Edge with Ease
- Perfect On All Materials Including Porcelain Paver Tile
- Designed for Hardscape Professionals
- One Year Tool Warranty (See website for details)




PART NO.	DESCRIPTION
5480-6200	Modern Edge Coping Kit

EASED EDGE
TILE BULLNOSE KIT

CREATES A FACTORY
FINISH ON-SITE



- Designed To Create A Bullnose Edge and Polish It To A Factory Quality Finish
- Goof-Proof Hand-Held Application
- Quality Finish Without The Factory
- Save Time and Money
- Has Everything You Need
- One Year Tool Warranty (See website for details)



PART NO.	DESCRIPTION
5480-1400	Tile Bullnose Kit (VSP-320)

Kit Contains: VSP-320 Polisher, Profler B (PFB101), 4" Ceramica EX Polishing Discs (EX40200R, EX40500R, EX41000R, EX42000R, EX43000R), 4" Flexible Backer Pad (GP45/8PD) and Multi-Purpose Waterproof Apron Sleeveless (APRON2000)

HARDSCAPEPRO Q

HIGH-PERFORMANCE BLADE FOR HARDSCAPE



- Designed To Cut Most Popular Hardscape Material Including Stone Veneer
- Can Be Used For Flush Cutting With Quad Drive
- Fits On Angle Grinders And Stone Cutters
- Consistent High-Performance Without Chipping
- Can Be Used Wet Or Dry
- Available Size: 4-1/2"



PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)
HPQ045	4-1/2"	2.2mm	13,200	7/8" Quad Drive

KATANA

ULTIMATE DRY BLADE FOR ALL TILES



- Tile Installer's Choice for Dry Cutting
- Specially Designed for Hard Porcelain Tile & Sintered Slabs
- Best Dry Cutting Tile Blade with Minimal Chipping
- Hybrid Dry Saw Blade for All Tiles
- Can Be used Wet or Dry



PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)
DPT478	4"	1.4mm	14,500	7/8", 20mm, 5/8"
DPT115	4-1/2"	1.4mm	13,200	7/8", 20mm
DPT125	5"	1.4mm	12,200	7/8"
DPT150	6"	1.4mm	10,100	7/8", 5/8",

KATANA Q

THE ULTIMATE WET/DRY BLADE FOR PORCELAIN/SINTERED SLAB



- Specially Designed For Hard Porcelain Paver Tile
- Great For Straight Cuts, Corner Cut-Outs & Pool Skimmer Cut-Outs
- Fits On Angle Grinders And Stone Cutters
- Very Fast Cutting With Minimal Chipping
- Can Be Used Wet Or Dry
- Can Be Used For Flush Cutting With Quad Drive



PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)
QPT478	4"	1.2mm	14,500	7/8", Quad-W
QPT115	4-1/2"	1.2mm	13,200	7/8", Quad-W
QPT125	5"	1.5mm	12,200	7/8", Quad-W
QPT150	6"	1.5mm	10,100	7/8", Quad-W

LIBERO

ULTIMATE DRY BLADE FOR MARBLE



- Specially Designed for Marble and Limestone
- Recommended for Onyx
- Highest Quality Diamond Edge for Chip-Free Cutting
- Best Dry Cutting Electroplated Blade on the Market
- Precise Cutting Performance on Softer Stone

PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)
DL0478	4"	0.8mm	14,500	7/8", 20mm, 5/8"
DL05A+	4-1/2"	0.8mm	13,200	7/8", 20mm
DL05S	5"	1.0mm	12,200	7/8"
DL06A+	6"	1.2mm	10,100	7/8", 5/8", 
DL07A+	7"	1.4mm	8,400	5/8", 

ELITE Q

HIGH-PERFORMANCE BLADE FOR
ENG. STONE, GRANITE & QUARTZITE



- The Most Versatile Blade For Countertop Fabricators And Tile Contractors
- Consistent High Performance Without Chipping
- Can Be Used For Flush Cutting With Quad Drive
- Best On The Market For Cost/Performance
- Can Be Used Wet Or Dry



PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)
EGQ005	5"	2.4mm	12,200	7/8", Quad-W
EGQ006	6"	2.4mm	10,100	7/8", Quad-W

QUAD-W ADAPTERS

DESIGNED FOR WET CUTTING
WITH FOUR / FIVE MOUNTING HOLES

*Designed with Four Mounting Holes
for Blades with 7/8" Arbors*



**QUAD-W
ADAPTER**

*Designed for 9" Diameter
Blades with Five Mounting Holes*



**QUAD-W5
ADAPTER**

- Made of Durable High-Quality Aluminum
- Distribute Water to the Cutting Edge on Both Sides of the Blade
- Can be Purchased Separately

PART NO.	TYPE	ARBOR(S)	THREADS
QUAW058	4-Hole Aluminum Adapter	7/8"	5/8"-11
QUAWM14	4-Hole Aluminum Adapter	22mm	M14-2
QUAW5058	5-Hole Aluminum Adapter	7/8"	5/8"-11
QUAW5M14	5-Hole Aluminum Adapter	22mm	M14-2

PLUS

ULTIMATE DRY BLADE FOR BLUE STONE



- Best Dry Cutting Turbo Blade on the Market
- Perfect for Blue Stone, Granite, and Other Hard to Cut Materials
- 8mm Tall Diamond Layer for a Long Life
- Recommended for Blue Stone and Hard Concrete
- Chip-Free Cutting on Most Demanding Applications

PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)
DA0478	4"	2.1mm	14,500	7/8", 20mm, 5/8"
DA05A+	4-1/2"	2.1mm	13,200	7/8", 20mm
DA05S	5"	2.1mm	12,200	7/8"
DA06A+	6"	2.1mm	10,100	7/8", 5/8", ◀
DA07A+	7"	2.3mm	8,400	5/8", ◀
DA08A+	8"	2.3mm	7,400	5/8", ◀
DA09A+	9"	2.3mm	6,600	7/8", 5/8", Quad-W5
DA10A+	10"	2.5mm	5,900	1", 5/8"
DA11A+	10"	2.5mm	5,900	5/8"
DA12A+	12"	2.5mm	6,200	1", 20mm
DA13A+	12"	2.5mm	6,200	20mm

ULTRACUT GPM

VACUUM-BRAZED DIAMOND BLADE



- Perfect for 2cm Porcelain Paver Tile
- Cuts most materials without chipping or cracking
- Maintains excellent cutting performance at the maximum cutting depth
- Great for building contractors and fabricators who work with metal and composite materials
- Fits on most popular hand-held electric power tools

PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)
GPM0420	4"	1.5mm	14,500	20mm, 5/8"
GPM4578	4-1/2"	1.5mm	13,200	7/8", 20mm
GPM0578	5"	1.5mm	12,200	7/8"
GPM06UN	6"	1.9mm	10,100	7/8", 5/8", ◀
GPM07UN	7"	1.9mm	8,400	7/8", 5/8", ◀
GPM08UN	8"	1.9mm	7,400	7/8", 5/8", ◀
GPM0978	9"	2.2mm	6,600	7/8", 5/8", Quad-W5

Q-CUT

THE ULTIMATE WET BLADE FOR PORCELAIN PAVER TILE



- Formulated To Cut Hard Tiles Such As Quartzite/ Granite
- Tile Installer's Choice for Stone Tile
- Designed for Fast, Precision Chip-Free Cutting
- Perfect for 2cm Porcelain Paver Tile
- Wet Use Only (Except for 4-1/2" and 5" Blades Can Be Used Wet or Dry)



HARDSCAPE CONTRACTOR'S CHOICE FOR PORCELAIN PAVER TILE



PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)
QZ4578	4-1/2"	1.6mm	13,200	7/8", 20mm
QZ0578	5"	1.6mm	12,200	7/8"
QZ0658	6"	1.4mm	10,100	7/8", 5/8", ⚡
QZ0758	7"	1.6mm	8,400	5/8"
QZ0858	8"	1.6mm	7,400	5/8"
QZ0978	9"	2.1mm	6,600	7/8", Quad-W5
QZ1058	10"	2.0mm	5,900	5/8"
QZ1001	10"	2.0mm	5,900	1", 5/8"
QZ1201	12"	2.1mm	6,200	1"

PORCELLANA

ULTIMATE WET BLADE FOR INTERIOR PORCELAIN TILES



- 3/8" (10mm) Tall Diamond Layer for Long Life
- Tile Installer's Choice for Chip Free Wet Cutting
- Recommended for Granite, Marble, Porcelain, Engineered Stone, Travertine and Ceramic Tiles
- Best Wet Cutting Tile Blade on the Market
- Hybrid Wet Saw Blade for All Tiles
- Wet Use Only

PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)
PT04A+	4-3/8"	1.4mm	13,200	7/8", 20mm
PT05S	5"	1.4mm	12,200	7/8"
PT07A+	7"	1.6mm	8,400	5/8"
PT08A+	8"	1.6mm	7,400	5/8"
PT10A+	10"	1.6mm	5,900	5/8"

PORCELLANA for PRS

ULTIMATE WET BLADE FOR PORTABLE RAIL SAWS



- 3/8" (10mm) Tall Diamond Layer for Long Life
- Tile Installer's Choice for Chip-Free Wet Cutting
- Recommended for Granite, Marble, Porcelain, Engineered Stone, Travertine and Ceramic Tiles
- Best Wet Cutting Tile Blade for Rail Saw on the Market
- Hybrid Wet Saw Blade for All Tiles
- Wet Use Only



PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)
PT0801	8"	1.6mm	7,400	1", 7/8", 5/8"
PT1001	10"	1.6mm	5,900	1", 5/8"

VETRO

ULTIMATE WET BLADE FOR GLASS TILES



- Best Wet Cutting Glass Blade on the Market
- Designed for Chip-Free Cutting
- Tile Installer's Choice for Glass Tile
- Chip-Free Cutting on Most Demanding Applications
- Wet Use Only

PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)
WG0438	4-3/8"	1.0mm	13,200	7/8", 20mm
WG0700	7"	1.6mm	8,400	5/8"
WG0800	8"	1.6mm	7,400	5/8"
WG1000	10"	1.6mm	5,900	5/8"

VETRO for PRS

VETRO FOR PORTABLE RAIL SAW



- Wet Use Only
- Designed for Chip-Free Cutting
- Tile Installer's Choice for Glass Tile
- Best Wet Cutting Glass Blade for Rail Saw on the Market
- Chip-Free Cutting on Most Demanding Applications



PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)
WG1001	10"	1.6mm	5,900	1", 5/8"

FLUSH CUTTING BLADES

VORTEX

INTRICATE & FLUSH CUTTING BLADE FOR GRANITE



- Requires Quad Drive to fit High-Speed Angle Grinder
- Perfect for Granite and Engineered Stone
- Specially Designed for Flush Cutting
- Stone Fabricator's Choice
- Chip-Free Cutting on Most Demanding Applications
- Side Protection Segments Help Cutting Straight



PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)	THREADS
FCD40AH	4"	2.5mm	14,500	20mm Quad Drive	
FCD50AH	5"	2.5mm	12,200	20mm Quad Drive	
AAH-20	Aluminum Adapter			20mm	5/8"-11
BAH-5/8	Brass Adapter			20mm	5/8"-11

VORTEX

INTRICATE & FLUSH CUTTING BLADE FOR MARBLE



- Requires Quad Drive to fit High-Speed Angle Grinder
- Specially Designed for Marble and Lime Stone
- Specially Designed for Flush Cutting
- Stone Fabricator's Choice
- Chip-Free Cutting on Most Demanding Application



PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)	THREADS
FCM50AH	5"	1.6mm	12,200	20mm Quad Drive	
AAH-20	Aluminum Adapter			20mm	5/8"-11
BAH-5/8	Brass Adapter			20mm	5/8"-11

ULTRACUT APR SERIES

HYBRID BLADE FOR INTRICATE & FLUSH CUTTING



- Unique Design for Flush Cutting Applications
- Removes Anchor Bolts, Concrete Re-Bar and Pipe From Floors and Walls
- Great for Building Contractors and Fabricators Who Work with Metal and Composite Materials
- Accepts Alpha® Exclusive Quad Drive Adapter for Mounting On Angle Grinders for “Flush Cutting”



PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)	THREADS
APR45QA	4-1/2"	1.7mm	13,200	20mm, Quad Drive	
APR05QA	5"	1.7mm	12,200	20mm, Quad Drive	
APR07QA	7"	1.9mm	8,400	20mm, Quad Drive	
BAH-5/8			Brass Adapter	20mm	5/8"-11
AAH-20			Aluminum Adapter	20mm	5/8"-11



CONTOUR

CURVE CUTTING BLADE FOR
PORCELAIN/CRYST. GLASS

CONTOUR

FOR PORCELAIN PAVER TILES

Designed For Skimmer
Cutouts And Tight
Radius Cuts



- Perfect for 2cm Porcelain Paver Tile
- Designed Specifically for Cutting Porcelain and Sintered Slabs
- Fits On Wet/Dry Stone Cutters
- Cuts Curved Areas Cleanly, Accurately and Safely While Allowing A Wider Kerf
- Direct Sintered Diamond Segments On Steel Core Prevents Undercutting
- Perfect to Cut Pool Skimmer Hole
- Can Be Used Either Wet or Dry

PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)	DEPTH OF CUT
CCP004	4"	4.0mm	14,500	7/8"	3/4"
CCP045	4-1/2"	4.0mm	13,200	7/8"	3/4"
CCP005	5"	4.0mm	12,200	7/8"	1-1/4"

CONTOUR

CURVE CUTTING BLADE FOR NATURAL STONE



- Specially Developed For Cutting Skimmer Cutouts
- Recommended For Tight Radius Cuts
- Works Well On Granite, Travertine, Bluestone And Other Natural Stone
- Cuts Curved Areas Cleanly, Accurately and Safely While Allowing A Wider Kerf
- Fits on Wet/Dry Stone Cutters
- Direct Sintered Diamond Segments On Steel Core Prevents Undercutting
- Fits On CNC Router with Cutting Head
- Can Be Used Either Wet or Dry





PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)	DEPTH OF CUT
CCB004	4"	4.0mm	14,500	7/8"	3/4"
CCB045	4-1/2"	4.0mm	13,200	7/8"	3/4"
CCB005	5"	4.0mm	12,200	7/8"	1-1/4"
CCB006	6"	4.0mm	10,100	7/8"	1-5/8"

HOT-ROD

CHANNEL CUTTING BLADE FOR STAIR TREADS



- Perfect for Channel Cutting with Wet/Dry Stone Cutters
- Great for Grout Removal with Ecocutter
- Perfect to Cut Anti-Slip Grooves and Water Drip
- Reliable Proven Performer
- Can Be Used Wet or Dry




GLUE WIDTH

HR/HM
7/16"

HQ
5/16"

HT/HS
1/4"

TS04AL
TS05AL
3/16"



PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)	RECOMENDED FOR
HP03A+	3"	6.0mm	14,500	7/8", 20mm	Porcelain
HA03A+	3"	7.0mm	14,500	7/8", 20mm	Porcelain
HT03A+	3"	4.2mm	14,500	7/8", 20mm	Granite/Quartz Surfaces
HQ03A+	3"	5.5mm	14,500	7/8", 20mm	Granite/Quartz Surfaces
HR03A+	3"	7.0mm	14,500	7/8", 20mm	Granite/Quartz Surfaces
HW03A+	3"	11.5mm	14,500	7/8"	Granite/Quartz Surfaces
HS03A+	3"	4.75mm	14,500	7/8", 20mm	Marble
HM03A+	3"	6.5mm	14,500	7/8", 20mm	Marble
HT04A+	4"	4.2mm	14,500	7/8", 20mm	Granite/Quartz Surfaces
HR04A+	4"	7.0mm	14,500	7/8", 20mm	Granite/Quartz Surfaces

PT CUTTER

ULTIMATE DRY BLADE FOR PORCELAIN PAVER TILE



- Best Dry Cutting Turbo Blade on the Market
- Perfect for Porcelain Paver Tile
- 6mm Tall Diamond Layer for a Long Life
- Fits Most Gas-Powered / Cordless Demolition Saws
- Can Be Used Wet or Dry
- Special Turbo Rim Diamond Layer Sintered Directly to the Steel Core
- Can Be Used On Portable Rail Saws



PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)
LT09A+	9"	2.5mm	6,600	7/8", 5/8", Quad-W5
LT12A+	12"	2.6mm	6,200	1", 7/8", 20mm
LT14A+	14"	2.8mm	5,360	1", 7/8", 20mm

MASONMASTER

PERFECT FOR HARDSCAPE APPLICATIONS



- Excellent General Purpose Blade for High-Speed Demolition & Masonry Saws
- Most Popular for Hardscapers, General Contractors & Masons
- Laser-Welded Segments for Fast Cutting and A Long Life
- Can Be Used Wet or Dry

PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)
MM00912	9"	2.5mm	6,600	7/8", Quad-W5
MM01212	12"	3.0mm	6,200	1", 7/8", 20mm w/pin hole
MM01412	14"	3.2mm	5,360	1", 7/8", 20mm w/pin hole
MM01612	16"	3.2mm	4,700	1", 7/8", 20mm w/pin hole

RESCUE

DEMOLITION BLADE CUTS IT ALL



- Slices Through Most Materials with Ease
- Concrete With Rebar and Wire Mesh, Paver, Stone, PVC Pipe, Ductile Iron, Granite, Tavertine, Blue Stone, Brick Block, Wood, Glass and Rubberized Materials
- Proven Winner for Firefighters, Police Officers and Construction Professionals
- Use on Gas-Powered Cut-Off Saw
- Available in 9", 12" and 14" Diameters

PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)
RB09A+	9"	2.8mm	8,300	7/8", Quad-W5
RB12A+	12"	3.0mm	6,200	1", 7/8", 20mm w/Pin Hole
RB14A+	14"	3.2mm	5,360	1", 7/8", 20mm w/Pin Hole



TUCKPOINT

HIGH PERFORMANCE DRY BLADE FOR TUCK POINTING



- Virtually Dust-Free Application with Ecoguard W5 and Vacuum
- Formulated for Aggressive Cutting and Long Life
- Best Tuck Pointing Blade on the Market
- Reliable Proven Performer
- Can be used Wet or Dry



PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)
TP0478	4"	6mm	14,500	7/8", 5/8"

DIAMOND BLADE RE-DRESSING/SHARPENING TOOL



- Designed To Redress Dull Cutting Edges Of Diamond Blades From 4" To 6" Using an Angle Grinder
- Can Be Used With All Small Angle Grinders Up To 6"
- Virtually Dust-Free Application When Used With HEPA Vacuum To Minimize Silica Exposure
- Prevents Kick-Back For Safe And Easy Operation
- Comes With a 3 Pack of Grinding Wheels That Can Redress 30 To 50 Dull Blades
- ONLY Redressing Tool Available For Small Diameter Diamond Blades

PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)	GRIT	DESCRIPTION
DRT0500	5" (125mm)			5/8"-11		Diamond Blade Redressing Tool
DRT3520	5" (125mm)	3/4" (20mm)	5,000	5/8"-11	46 (3pk)	Aluminum Oxide / Hardness T

DRESSING STICK



- Designed To Expose New Cutting Surfaces or Re-Open Glazed Diamond Blades and Grinding Wheels
- Removes Sinter Bond From Cutting Edge
- Can Be Used To Ease Sharp Corners
- Bond Type: Silicon Carbide

PART NO.	SIZE	GRIT
290006	8" x 1.5" x 1.5"	60

QUAD ADAPTERS



- Designed for Flush Cutting Blades with Four Mounting Holes
- Made Of Durable High-Quality Brass or Aluminum
- Easily Mounted To Any Quad Drive Blade
- Available in Various Thread Sizes

PART NO.	TYPE	ARBOR(S)	THREADS
AAH-7/8	Aluminum	7/8"	5/8"-11
AAH-20	Aluminum	20mm	5/8"-11
BAH-5/8	Brass	20mm	5/8"-11



PROFILER B



PROFILER V



PROFILER Z

PROFILER B-SERIES

CREATES PERFECT EASED EDGE





Demi-Bullnose

- Perfect for 2cm Porcelain Paver Tile
- Use On Travertine, Granite, Engineered Stone, Marble, Concrete, Crystallized Glass and Porcelain Slabs
- Create A Perfect Demi-Bullnose/Roundover Edge Treatment
- Nylon Guide and Rotary Touchier Assures The Proper Depth Of Cut Is Achieved
- Equipped with A 5/8"-11 Female Thread and Internal Water Passage Holes
- Fits On All Popular Water-Fed Polishers

PART NO.	SIZE	MAXIMUM RPM	THREADS	SHAPE
PFB051	3/16" (0.5cm)	3,500	5/8"-11	Demi-Bullnose
PFB101	3/8" (1.0cm)	3,500	5/8"-11	Demi-Bullnose
PFB131	1/2" (1.3cm)	3,500	5/8"-11	Demi-Bullnose
PFB201	3/4" (2.0cm)	3,500	5/8"-11	Demi-Bullnose
PFBNG02B	Fits All Sizes of Profilers	6,000	Nylon Guide w/ Ball Bearing	

PROFILER Z-SERIES

PERFECT 90-DEGREE
EDGE GRINDING



Straight Edge

- Perfect for 2cm Porcelain Paver Tile
- Vertical Grinding On All Types Of Materials
- Never Loses Shape for True Zero Tolerance
- Nylon Guide and Rotary Touchier Assures Uniformity
- Equipped with A 5/8"-11 Female Thread and Internal Water Passage Holes
- Fits On All Popular Water-Fed Polishers

PART NO.	SIZE	MAXIMUM RPM	THREADS	SHAPE
PFZ301	1-1/4" (3cm)	3,500	5/8"-11	Straight
PFZ401	1-1/2" (4cm)	3,500	5/8"-11	Straight
PFZ501	2" (5cm)	6,000	5/8"-11	Straight
PFBNG02B	Fits All Sizes of Profilers	6,000	Nylon Guide w/ Ball Bearing	

PROFILER V-SERIES

CREATES PERFECT
BULLNOSE EDGE



Full Bullnose

- Perfect for 2cm Porcelain Paver Tile, Pool Coping, Steps and Caps
- Create A Perfect Bullnose/Roundover Edge Treatment
- Use On Travertine, Granite, Engineered Stone, Marble, Limestone, Concrete, Crystallized Glass and Porcelain Slabs
- Eliminate The Time-Consuming Calibration Process for Seamed Pieces
- Nylon Guide and Rotary Touchier Assures The Edges Are Uniform
- Equipped with A 5/8"-11 Female Thread and Internal Water Passage Holes
- Fits On All Popular Water-Fed Polishers

PART NO.	SIZE	MAXIMUM RPM	THREADS	SHAPE
PFV201	3/4" (2cm)	3,500	5/8"-11	Full Bullnose
PFV301	1-1/4" (3cm)	3,500	5/8"-11	Full Bullnose
PFV401	1-1/2" (4cm)	3,500	5/8"-11	Full Bullnose
PFV501	2" (5cm)	6,000	5/8"-11	Full Bullnose
PFV601	2-3/8" (6cm)	6,000	5/8"-11	Full Bullnose
PFBNG02B	Fits All Sizes of Profilers	6,000	Nylon Guide w/ Ball Bearing	

SPIKE DISC

COATING REMOVAL
MADE EASY



- Designed for Thick Coating Removal of Epoxy, Urethane, Glue and Adhesives
- Unique Open-Mesh Layout Reduces Clogging and Heat Build-Up
- Optimized Diamond Grits Provide A Consistent Performance
- Sandwiched-Rubber Cushioned Light-Weight Body Reduces Noise and Vibration
- Each Diamond Bead Has Multiple Diamond Grits To Maintain A Sharp Cutting Capability for A Long Time
- Can Be Used On Wood, Glass Fiber Reinforced Polymer and Carbon Fiber Reinforced Polymer.
- Available in 4-1/2", 5" and 7" with 7/8" Arbor or with 5/8"-11 Zinc Hub
- Combine with The Ecoguard GX for A Virtually Dust-Free Solution

PART NO.	SIZE	MAXIMUM RPM	ARBOR(S)	GRIT
VCS4535	4-1/2"	13,200	7/8"	35
VCS453H	4-1/2"	13,200	5/8"-11	35
VCS4550	4-1/2"	13,200	7/8"	50
VCS455H	4-1/2"	13,200	5/8"-11	50
VCS5035	5"	13,200	7/8"	35
VCS503H	5"	12,200	5/8"-11	35
VCS5050	5"	12,200	7/8"	50
VCS505H	5"	12,200	5/8"-11	50
VCS7035	7"	8,400	7/8"	35
VCS703H	7"	8,400	5/8"-11	35
VCS7050	7"	8,400	7/8"	50
VCS705H	7"	8,400	5/8"-11	50



close-up of diamonds



sandwich construction

LASER CORE BIT & CORE BIT EXTENDER



LASER CORE BIT

WET/DRY LASER
SEGMENTED CORE BITS

- Designed To Drill Most Popular Hard Surfaces
- Perfect for Porcelain Pavers and Natural Stone
- Can Be Used with Core Bit Extension for Hammer Drill/Rotary Hammer
- Fits On Most Popular High-Speed Grinders with 5/8"-11 Spindle
- Convenient for Wet or Dry Applications (WLB00380 and WLB00500 are WET USE ONLY!)



PART NO.	DIAMETER	MAX RPM	TYPE	THREADS
WLB00380	3/8"	12,000	Wet Only	5/8"-11
WLB00500	1/2"	12,000	Wet Only	5/8"-11
DLB00750	3/4"	12,000	Wet/Dry	5/8"-11
DLB01000	1"	12,000	Wet/Dry	5/8"-11
DLB01250	1-1/4"	12,000	Wet/Dry	5/8"-11
DLB01375	1-3/8"	12,000	Wet/Dry	5/8"-11
DLB01500	1-1/2"	12,000	Wet/Dry	5/8"-11
DLB02000	2"	12,000	Wet/Dry	5/8"-11
DLB02500	2-1/2"	12,000	Wet/Dry	5/8"-11
DLB03000	3"	12,000	Wet/Dry	5/8"-11
DLB04000	4"	12,000	Wet/Dry	5/8"-11

CORE BIT EXTENDER

PERFECT FOR CUTTING
THROUGH THICK MATERIAL

- Convert Your Rotary/Hammer Drill With The SDS-Plus Fitting Into A Core Drill With A 5/8"-11 Thread
- Extend Reach In Hard To Access Areas
- Effortlessly Switch Between Accessories And Sizes
- Made With High Strength Steel
- Perfect For Thick Materials Such As Cutting Through Concrete, Brick, Pavers, Stone, And More
- Compatible With Diamond-Tipped Core Bits For Dry Coring To Extend The Reach
- *Must Be Used Without Percussion of Rotary Hammer/Hammer Drill

PART NO.	SIZE	MAXIMUM RPM	TYPE	THREADS
CBESDSS	6" (150mm)	12,000	SDS Plus Shank Short	5/8"-11
CBESDSL	10" (250mm)	12,000	SDS Plus Shank Long	5/8"-11

VACUUM BRAZED TRIMMER BIT

DRY CUTTING OF LARGE HOLES OR CURVED LINES



- Great For Use In Construction Trades Wherever Non-Standard Shaped Cutouts As Needed
- Perfect For Electrical Receptacles, Water-Valve Holes, Drains, Shower Knobs, Etc.
- Vacuum Brazed Technology Provides Extended Life
- Use On Granites, Engineered And Natural Stones, Porcelain And Ceramic Tiles
- Can Be Used Wet Or Dry
- Fits On A High-Speed Trimmer Tools

PART NO.	DIAMETER	MAXIMUM RPM
DTB00250	1/4"	33,000

ELECTROPLATED DRILL BITS

PREMIUM DRILL BITS FOR ANCHOR/PIPE HOLES



- Designed for Drilling Holes in Tile and Stone for Pre-Installation or Post-Installation Placement
- Works Great On Marble, Granite, Engineered Stone, Ceramic, Porcelain and Glass Tile and Panels
- Can Be Used On A Standard 3/8" or Larger Drill
- Can Fit On Water-Fed Polishers with 5/8"-11 Spindles Using The Drill Bit Adapter
- Ideal for Drilling Holes for Anchors for Bathroom Fixtures, Faucet and Plumbing Pipes
- Wet Use Only

PART NO.	DIAMETER	MAXIMUM RPM	TYPE
CH7205	3/16"	3,500	3/8" Shank
CH7206	1/4"	3,500	3/8" Shank
CH7208	5/16"	3,500	3/8" Shank
CH7210	3/8"	3,500	3/8" Shank
CH7212	1/2"	3,500	3/8" Shank
CH7235	1-3/8"	3,500	3/8" Shank
CH7240	1-1/2"	3,500	3/8" Shank
CH1058			Adapter 10mm to 5/8"*

*(for all polishers)

DRILL BIT GUIDE

WATER DELIVERY SYSTEM



- Prevents Wandering Drill Bits
- Delivers Sufficient Water While Providing A Secure Drilling Position
- Fits Up To 1-3/8" Diameter
- Use It with Electroplated Drill Bits
- Ideal When Drilling 1/4" Anchor Holes When Installing Towel Bars, Soap Dishes, Shelves, Cabinets and Shower Door Frames
- Suction Cup Creates A Vacuum That Secures The Guide During Application

HOW TO USE:



Soak the foam rubber on the back side with water.



Press the body to the tile and make sure it adheres properly.




Pour water up to the mark On the tank.



Slide the switch to the open position. Make sure the water drips.



Place tip of drill bit into the guide Position. Then start drilling.



Slide switch to the closed position. Pull the rubber to remove the water-feed system.




NOTE: working with mosaic tile or near grout lines use tape to secure.*

PART NO.	DESCRIPTION
WDS138	Drill Bit Guide/Water Delivery System

HAND PADS

HAND POLISHING PADS



Perfect for removing sharp edges of cut stone or porcelain paver


- Convenient, On-Site Polishing
- Use On Travertine, Porcelain Paver Tile, Glass, Ceramics, Marble, Granite, Concrete, Terrazzo and Quartz Surfaces
- Two Bond Types To Provide The Best Possible Finish
- Available in Electroplated and Resin Grits



REMOVE SHARP EDGES FROM CUT STONE OR PORCELAIN PAVER

ELECTROPLATED GRITS:

This type of pad uses nickel plating technology to hold each individual diamond in place and is available in 60, 150, 300 and 500 grits.



RESIN GRITS:

This type has a finer diamond grit than electroplated pads. The resin bond is coated on a special backing material and is available in 1000, 2000 and 3000 grits best suited for honing to polishing.



PART NO.	GRIT	COLOR	BOND TYPE
DHP0060	60	Blue	Electroplated
DHP0150	150	Yellow	Electroplated
DHP0300	300	Orange	Electroplated
DHP0500	500	Red	Electroplated
DHP1000	1000	Dark Green	Resin
DHP2000	2000	Light Green	Resin
DHP3000	3000	Brown	Resin
DHPKIT			Set of 7

CERAMICA EX

WET POLISHING FOR
ALL STONES

- Produces A High-Quality Shine
- Polishes On Porcelain, Granite, Travertine, Limestone, Concrete, etc.
- Ideal for Polishing Inside Corners and A Tight Radius
- Works Very Well On Tough Materials Including Tough To Polish Black and Green Marbles
- Extremely Flexible

HOOK AND LOOP		3"	4"	5"
GRIT	COLOR	PART NO.	PART NO.	PART NO.
200	Yellow	EX30200R	EX40200R	EX50200R
500	Red	EX30500R	EX40500R	EX50500R
1000	Dark Green	EX31000R	EX41000R	EX51000R
2000	Light Green	EX32000R	EX42000R	EX52000R
3000	Brown	EX33000R	EX43000R	EX53000R
ALL	Assortment (1 each)		EX40KIT	

CERAMICA METAL

PREPARATION STAGE FOR
WET GRANITE POLISHING

- Best Combination with Aggressive Cutting Performance and Flexibility
- Designed for Polishing Harder Types of Natural Stone
- Discs Have The Hardness of A Metal Bond Diamond in A Flexible Resin Bond Disc
- Superior Aggressiveness Compared To Standard Resin Bond Discs
- Polishes in Tight, Difficult To Reach Areas Such As Internal Corners and Inside Rim of Sink Holes
- Consistent Performance and A Long Life
- Available in Grits of 60, 150 and 300

HOOK AND LOOP		3"	4"
GRIT	COLOR	PART NO.	PART NO.
60	Blue	FD30060M	FD40060M
150	Yellow	FD30150M	FD40150M
300	Orange	FD30300M	FD40300M

SANDPAPER

CONCRETE AND MARBLE
POLISHING



- Waterproof Hook and Loop Backed Silicon Carbide Abrasive
- Use On Marbles and Softer Types of Natural Stone
- Can Also Be Used To Polish Glass, Metal and Wood
- Very Adaptable To Onsite Work and Easy To Use
- Resists Clogging When Used Wet
- Can Be Used Wet or Dry

HOOK AND LOOP		4"	5"
GRIT	QUANTITY	PART NO.	PART NO.
80	50	MP40080	MP50080
120	50	MP40120	MP50120
240	50	MP40240	MP50240
320	50	MP40320	MP50320
400	50	MP40400	MP50400
500	50	MP40500	MP50500
600	50	MP40600	MP50600
Assortment	50	MP40KIT	MP50KIT

ANTIQUE BRUSH WHEELS


BRUSH WHEELS
FOR TEXTURED FINISHES



- Create A Textured Finish On The Edge and Surface Of Engineered Stone/Quartz Surfaces
- Developed with TYNEX®, A Filament From Dupont, To Ensure Safety and Exceptional Performance
- Utilizes A Snail Lock Adapter (SFAT)
- Fits Most Popular Edge Polishing Machines, Hand-Held Sanders and Polishers
- Can Be Used On Other Stone Such As Granite

SNAIL LOCK			4"	5"
GRIT	BOND TYPE	MAXIMUM RPM	PART NO.	PART NO.
24	Resin	4,000	AB4024	AB5024
36	Resin	4,000	AB4036	AB5036
60	Resin	4,000	AB4060	AB5060
120	Resin	4,000	AB4120	AB5120
240	Resin	4,000	AB4240	AB5240
320	Resin	4,000	AB4320	AB5320
Snail Lock Adapter		4,000	PVA-5/8	
Snail Lock Adapter		2,000		SFAT-5/8

RIGID BACKER PADS



- High-Quality Backer Pad Is Super Rigid and Flat
- Eliminates The Wavy Finish When Polishing
- Hook and Loop Backed
- The Rigidity Of The Pad Enables Work in Small Areas Such As Corners or Staircases
- Accepts Polishing Pads, Sandpaper and Felt Wheels

PART NO.	SIZE	MAX RPM	THREADS
GP35/8RG	3"	6,000	5/8"-11
GP45/8RG	4"	6,000	5/8"-11
GP55/8RG	5"	6,000	5/8"-11
RGSPACER			Spacer

FLEXIBLE BACKER PADS



- High-Quality Backer Pad Is Extremely Flexible
- Ideal for Tough Contours and Inside Curves
- Hook and Loop Backed
- Highly Resistant To The Rigors Of Daily Use Provides A Long Life
- Accepts Polishing Pads, Sandpaper and Felt Wheels

PART NO.	SIZE	MAX RPM	THREADS
GP25/8PD	2"	6,000	5/8"-11
GP35/8PD	3"	6,000	5/8"-11
GP45/8PD	4"	6,000	5/8"-11
GP55/8PD	5"	6,000	5/8"-11

GV BACKER PADS



- High-Quality Backer Pad Is Rigid and Flat, But Provides Just The Right Amount Of Flexibility
- Ideal for Bullnosed Edges and Flat Surfaces.
- Hook and Loop Backed
- Accepts Polishing Pads, Sandpaper and Felt Wheels
- Fits On Makita® GV5000 & GV5010 Sanders

PART NO.	SIZE	MAXIMUM RPM	DESCRIPTION
GV4MPPD	4"	4,500	M8-1.25 Male
GV5MPPD	5"	4,500	M8-1.25 Male

Easy & Reliable... Multi-Adapting Dust Covers!



FITS ANY SIZE...ANY MODEL



ECOGUARD GX SERIES

UNIVERSAL DUST COVER FOR GRINDING



- Designed for Collecting Dust/Debris When Using A High-Speed Angle Grinder
- Accepts Grinding Wheels Up To 5" Diameter
- Rugged Construction for Heavy-Duty Applications
- Clear Cover for Better Visibility
- Perfect for Grinding and Sanding or Surface Preparation Work
- Can Grind Tight Against The Wall
- Easy Installation and Wheel Changes
- Fits On Most 4-1/2", 5" & 6" High-Speed Angle Grinders
- Must Be Used with A Vacuum
- Removes More Than 97% of the Dust

PART NO.	SIZE	DESCRIPTION
ECOGRGX5	5"	Dust Collection Cover w/Universal Adapter
ECOGX5KIT	5"	Ecoguard GX5 & 18" Connector Hose Kit
500026	18"	1-1/2" Tapered-2-1/4" Flexible Connector Hose
500073	54"	1-1/2" Tapered-2-1/4" Flexible Connector Hose
HEP110021		Air/Exhaust Hose Adapter

ECOGUARD CX SERIES

UNIVERSAL DUST COVER FOR CUTTING



- Designed for Collecting Dust/Debris When Using A High-Speed Angle Grinder
- Perfect for Tuckpointing and Crack Chasing
- Accepts Blades Up To 5" Diameter
- Rugged Construction for Heavy-Duty Applications
- Straight Precise Cuts Using Support Base
- Clear Cover for Better Visibility
- Fits On Most 4-1/2", 5" & 6" High-Speed Angle Grinders
- Easy Installation and Blade Changes
- Adjustable Cutting Depth Maximum 1-1/2"
- Removes More Than 97% of the Dust
- Must Be Used with A Vacuum

PART NO.	SIZE	DESCRIPTION
ECOGRX5	5"	Dust Collection Cover w/Universal Adapter
ECOCX5KIT	5"	Ecoguard CX5 & 18" Connector Hose Kit
500026	18"	1-1/2" Tapered-2-1/4" Flexible Connector Hose
500073	54"	1-1/2" Tapered-2-1/4" Flexible Connector Hose
HEP110021		Air/Exhaust Hose Adapter

PULL-TO-CUT SHROUD KITS

REMOVES DUST FOR DRY PULL-TO-CUT METHOD



- Designed To Remove Dust When Using Pull-To-Cut Method
- Can Be Used Easily With Minimal Alterations
- Fits On Most Popular 4-1/2", 5" & 6" High-Speed Grinders
Great For Use With A HEPA Vacuum

- Kit Includes: Safety Guard, Dust Shroud Assembly, Universal Dust Hose, Plastic Collar, Stainless Steel Collar, Hook & Loop Tie, Hex Wrench (6mm)



PART NO.	SIZE	DIAMETER	THREADS	DESCRIPTION
DBC5KIT	5"			5" Dry Blade Cutting Kit
5480-3201	HEPA1035 5" Pull-To-Cut Dust Shroud Kit (HEPA1035 & DBC5KIT)			
DBC6KIT	6"			6" Dry Blade Cutting Kit
5480-3203	HEPA1035 6" Pull-To-Cut Dust Shroud Kit (HEPA1035 & DBC6KIT)			
VH91100	12' (3.6m)	3/4" (20mm)	1-1/4" O.D. threaded x 2-1/4" standard	Dust Hose

ECOGUARD CD

DUST AND WATER GUARD FOR CORE DRILLING



- Wet/Dry Cover for Drilling and Core Drilling Applications
- Fits Most Vacuum Dust Hoses
- Accepts up to 2-1/2" Core Bit
- Can Be Secured On Horizontal and Vertical Surfaces with Vacuum During Application
- Prevents Splashing When Used with Water

PART NO.	RECOMMENDED FOR	DESCRIPTION
ECOGRDCD	Core Drilling	Dust Collection Cover CD

ECOGUARD G7

DUST COLLECTION COVER FOR GRINDING



- Designed for Collecting Dust When Using A High-Speed Angle Grinder
- Accepts Grinding Wheels Up To: 7"
- Rugged Construction for Heavy-Duty Applications
- Perfect for Grinding and Sanding or Surface Preparation Work
- Can Grind Tight Against The Wall
- Clear Cover for Better Visibility
- Fits On Most High-Speed Angle Grinders: 7" & 9"
- Easy Installation and Wheel Changes
- The G7 Has A Flexible Head Allowing for A Natural Grinding Motion
- Removes More Than 90% of the Dust
- Must Be Used with A Vacuum

PART NO.	SIZE	DESCRIPTION
ECOGRDG7	7"	Dust Collection Cover G7
500026	18"	Flexible Connector Hose (1-1/2" Tapered-2-1/4")
500073	54"	Flexible Connector Hose (1-1/2" Tapered-2-1/4")
ECOG7KIT	7"	Ecoguard G7 & 54" Connector Hose Kit



MULTI-ADAPTER SYSTEM



POP-UP WINDOW



FLEX-SEAL SYSTEM

ECOGUARD W6 / W9

DUST COLLECTION COVER FOR WIDER KERF CUTTING



PART#: ECOGRDW6

- Designed for Collecting Dust and Debris When Using A High-Speed Angle Grinder
- Perfect for Tuckpointing and Crack Chasing
- Accepts 6" Diameter Blades (W6), 7" and 9" Diameter Blades (W9)
- Removes More Than 90% Of Dust
- Rugged Construction for Heavy-Duty Applications
- Straight Precise Cuts Using Support Base
- Easy Installation and Blade Changes
- Fits On Selected 4-1/2", 5", 6", 7" and 9" High-Speed Angle Grinders
- Adjustable Cutting Depth -
-Maximum 1-3/4" (W6) and 2-3/8" (W9)
- Must Be Used with A Vacuum

Industrial
Dust
Collection
Cover



PART#: ECOGRDW9



Includes
extendable
handle
bracket

PART#: ECOW9KIT

PART NO.	SIZE	DESCRIPTION
ECOGRDW6	6"	Dust Collection Cover W6
ECOGRDW9	9"	Dust Collection Cover W9
500026	18"	Flexible Connector Hose (1-1/2" Tapered-2-1/4")
500073	54"	Flexible Connector Hose (1-1/2" Tapered-2-1/4")
ECOW6KIT	6"	Ecoguard W6 & 18" Connector Hose Kit
ECOW9KIT	9"	Ecoguard W9 & 54" Connector Hose Kit includes Extendable Handle Bracket (Part# 510000)

HEPA

Wet/Dry Vacuum


Virtually Dust-Free
for Maximum
Health
Protection!



PART NO.	SIZE	DESCRIPTION
HEPA1035	9.3 Gal (35 Liters)	HEPA Wet/Dry Vacuum
HEPA1050	13.2 Gal (50 Liters)	HEPA Wet/Dry Vacuum

HEPA

WET/DRY VACUUM



Pore-deep cleaning over the entire filter surface.

Patented filter cleaning

Constant high suction power during cleaning.



HEPA1035
25" (9.3 Gal)

HEPA1050
30" (13.2 Gal)

- Canister Volume of 9.3 or 13.2 Gallons
- Adjustable, Foldable Push Bar
- Extremely Robust Chassis with Locking Brakes
- On-Board Receptacle for Power Tools
- Virtually Dust-Free Work for Maximum Health Protection
- Patented HEPA 13 Cartridge Filter With 2 Independent Filter Chambers
- Consistent High Level of Suction Power During The Filter Cleaning
- Automatic Filter Cleaning Through Air Backwashing; Done Every 45 Seconds
- Visual And Acoustic Warning Signal
- Dust-Tight Lockable Connection Nozzle
- Easy-To Clean Blow-Out Filter
- Flat Surface on The Motor Head
- Optional Adapter Plate for All Common Tool Cases

SPECIFICATIONS:

Model:	HEPA1035/HEPA1050
Function:	HEPA Wet/Dry Vacuum
Rating:	120 Volts
Frequency:	50Hz - 60Hz
Amperage:	9.0A
Power:	1080W
Weight:	33 lbs (15 kgs)/35 lbs (16 kgs)
Cord Length:	33ft (10m) 3/14 AWG
Hose Size:	1.5in x 16.4ft (5m)
Tank Capacity:	9.3 Gal (35 L)/13.2 Gal (50 L)
Filter Capacity:	5.3 Gal (20 L)/7.9 Gal (30 L)
Air Flow Rate:	157 CFM
Water Lift:	92" (234.5cm)/100" (254.9cm)
Sound Decibels:	LpA = 74 dB(A)
Tank Dimensions-HEPA1035:	21.3 x 15.4 x 25 in (540 x 390 x 635 mm)
Tank Dimensions-HEPA1050:	21.3 x 15.4 x 30.3 in (540 x 390 x 770 mm)

EQUIPMENT INCLUDED:

- Stainless Steel Vacuum Tube Set (Part No. 102018)
- Hose Assembly 16.4 ft (5m) (Ø 1.5in/38mm) (Part No. 118176)
- Fleece Filter Bag (Qty 5) (Part No. 102066)
- Crevice Nozzle (Part No. 102016)
- Dry Floor Nozzle (Part No.102125)
- Round Brush (Part No. 102017)
- Rubber Adapter #1 Ø 21/25/32 mm (Part No. 118122)
- Rubber Adapter #2 Ø 38/43mm (Part No. 118141)
- Torx Key T30 (Part No. 118124)
- Brush Strips (2pc Set) 450mm For 102125 (Part No. 102127)
- Rubber Strips (2pc Set) (Part No. 102126)

9" WET BLADE CUTTING KIT

CONVERT A HIGH-SPEED ANGLE GRINDER INTO A WET TOOL



- Can Be Used On Most Grinders With Minimal Alterations
- Fits Most 7" and 9" Angle Grinders
- Includes Kink-Free, Water-Feed Supplies, Plus Gfci
- Includes Extendable Handle Bracket to provide extra leverage for easy cutting power

Kit includes: 9" Safety Guard, Loc-Line Assembly, Plastic Tie, 4 Plastic Collars, Adapter (1/4 NPT>>>M10*P.1.0), Water Hose Assembly, Memory Wrap (3ft. / 1M), Quick Connect Adapter, GFCI Plug (120V), Hook & Loop Tie & Screw w/Spring Lock Washer and Floor Cutting Kit (Part# 510000)

PART NO.	SIZE	TYPE	RECOMMENDED FOR	DESCRIPTION
WBC9KIT	9"	110V	7" & 9" High-Speed Angle Grinders	Wet Blade Cutting Kit
WBC9KIT2V	9"	220V	7" & 9" High-Speed Angle Grinders	Wet Blade Cutting Kit
510000			Cutting Applications	Extendable Handle Bracket

5" & 6" WET BLADE CUTTING KITS

CONVERT DRY GRINDER FOR WET CUTTING



- Designed To Convert A High-Speed Angle Grinder Into A Wet Tool
- Can Be Used On Most Grinders with Minimal Alterations
- Fits Most 4-1/2", 5" and 6" High-Speed Angle Grinders
- Kink-Free Water Hose for Easy Maneuverability and Reducing Operator Fatigue
- Save Money and Use Your Tool Wet or Dry!

Kit includes: Safety Guard, Loc-Line Assembly, Plastic Tie, Stainless Steel Collar, Plastic Collar, Adapter (1/4 NPT>>>M10*P.1.0), Water Hose Assembly, Memory Wrap (3ft. / 1M), Quick Connect Adapter, GFCI Plug (120V) & Hook & Loop Tie

PART NO.	SIZE	TYPE	RECOMMENDED FOR	DESCRIPTION
WBC5KIT	5"	110V	4-1/2", 5" & 6" High-Speed Angle Grinders	Wet Blade Cutting Kit
WBC6KIT	6"	110V	4-1/2", 5" & 6" High-Speed Angle Grinders	Wet Blade Cutting Kit
WBC5KIT2V	5"	220V	4-1/2", 5" & 6" High-Speed Angle Grinders	Wet Blade Cutting Kit
WBC6KIT2V	6"	220V	4-1/2", 5" & 6" High-Speed Angle Grinders	Wet Blade Cutting Kit

WET SANDING/
POLISHING KIT

CONVERTS DRY POLISHER /
SANDER INTO A WET TOOL



- Designed To Convert A Dry Polisher Into A Wet Tool
- Save Money and Use Your Tool Wet or Dry!
- Quick Solution for OSHA Compliance
- Kit includes: Safety Guard, Loc-Line Assembly, Water Hose Assembly, Memory Wrap (3ft. / 1M), Quick Connect Adapter, GFCI Plug (120V) & Hook & Loop Strap

Kit includes: Safety Guard, Loc-Line Assembly, Water Hose Assembly, Memory Wrap (3ft. / 1M), Quick Connect Adapter, GFCI Plug (120V) & Hook & Loop Strap

PART NO.	TYPE	RECOMMENDED FOR	DESCRIPTION
WSPKIT	110V	Sanders & Polishers	Wet Sanding & Polishing Kit
WSPKIT2V	240V	Sanders & Polishers	Wet Sanding & Polishing Kit

HIGH-VISIBILITY LUMBAR
SUPPORT BELT

RELIEVES LOAD
ON THE SPINE



- High-Performance Elastic Straps Help Relieve Pressure On The Lumbar Spine
- Provides Greater Stability To The Spine During Heavy Lifting Exercises
- Limits Overstrain By Supporting The Muscles Around The Spine
- Plastic Support Bars Help Prevent The Brace From Rolling Or Bunching
- Tapered Fit For Comfort While Sitting Or Standing
- Breathable Fabric With Reflective Strips For Added Safety And Comfort



PART NO.	SIZE	FINISH	COLOR
LSB0000S	S	Reflective	Black & Neon Yellow
LSB0000M	M	Reflective	Black & Neon Yellow
LSB0000L	L	Reflective	Black & Neon Yellow
LSB0000XL	XL	Reflective	Black & Neon Yellow
LSB0000XXL	XXL	Reflective	Black & Neon Yellow

HIGH-VISIBILITY SAFETY VEST

REFLECTIVE HIGH-VISIBILITY



- Lightweight Design for a Comfortable Fit
- Neon Fabric Helps Keep You Visible During the Daytime
- Reflective Strips Provide 360 Degrees of Visibility
- Fits Great Over Jackets, Coats, Shirts, and Sweaters
- Designed For Activities Like Construction, Utility, Warehouse, Etc.
- Class 2 Vest Meets The Requirements Of ANSI/ISEA 107-2010
- Complies With The Federal Highway Mandate (2009) Manual Of Uniform And Traffic Control Devices



REFLECTIVE STRIPS



REINFORCED ZIPPER



DUAL POCKETS

PART NO.	SIZE	DIAMETER	FINISH	COLOR
SVY0000S	45.6in (116cm) x 25.6in (65cm)	S	Reflective	Neon Yellow
SVY0000M	48.0in (122cm) x 26.3in (67cm)	M	Reflective	Neon Yellow
SVY0000L	49.6in (126cm) x 27.1in (69cm)	L	Reflective	Neon Yellow
SVY000XL	51.0in (130cm) x 27.9in (71cm)	XL	Reflective	Neon Yellow
SVY002XL	52.6in (134cm) x 28.7in (73cm)	2XL	Reflective	Neon Yellow
SVY003XL	55.9in (142cm) x 29.5in (75cm)	3XL	Reflective	Neon Yellow

SAFETY GLASSES



- Designed for Safety and Comfort
- A Lightweight Frame with Padded Temples
- Adjustable Side Arms
- Soft Rubber Nose Bridge
- Clear Anti-Scratch Lenses
- Available in a single pair or 12-pack
- Complies with standard # BS EN 166:2001

PART NO.	DESCRIPTION
173002	Safety Glasses (Box of 12)
173008	Safety Glasses (Single Pair)

GROUND FAULT CIRCUIT INTERRUPTER



- Protect Polishing Personnel From Lethal Ground Current Loads
- Highly Recommended Piece Of Equipment
- Rated for 15 Amps

PART NO.	DESCRIPTION	TYPE
GFCI-1	Ground Fault Circuit Interrupter	110V
GFCI-2	Ground Fault Circuit Interrupter	220V

HOODIE APRON

- **Hood***
- Prevents the Operator's Hair from Getting Wet
- **Full Coverage**
- Reduces the Exposure to Silica Crystalline Dust
- **D1200 OXFORD MATERIAL**
- Waterproof for Heavy-Duty Applications;
Perfect for Wet or Dry Environments

**Wearing a ball cap under hoodie is recommended for better visibility!*



PART NO.	SIZE	TYPE	DESCRIPTION
APRONHLSR	55"L x 60" W (140cm L x 152cm W)	Hoodie	Waterproof Hoodie Apron (Regular)



Multi-Purpose Waterproof Apron - LONG SLEEVE



Rubber Cuffs

Customizable Cuff
with Easy
Cut Lines for a
Perfect Fit

Wet / Dry Use



APRON

MULTI-PURPOSE
APRON



- Rubber Cuffs Provides Full Coverage
- Bright Neon Yellow Color Provides Greater Visibility
- Perfect for Wet or Dry Environments
- Protects From Dust, Water and Other Chemicals
- Dual-Adjustable Clips Makes For A Perfect Fit



Dual-Adjustable Clips Makes for a Perfect Fit

PART NO.	SIZE	TYPE	DESCRIPTION
APRON2LSR	55" L x 60" W (140cm L x 152cm W)	Long Sleeve	Multi-Purpose Waterproof Apron (Regular)
APRON2LSS	42" L X 41" W (107cm L x 104cm W)	Long Sleeve	Multi-Purpose Waterproof Apron (Small)

APRON

MULTI-PURPOSE
APRON SLEEVELESS



- Sleeveless with Wide Straps for Ease and Comfort
- Bright Neon Yellow Color Provides Greater Visibility
- Perfect for Wet or Dry Environments
- Protects From Dust, Water and Other Chemicals
- Dual-Adjustable Clips Makes For A Perfect Fit



Dual-Adjustable Clips Makes for a Perfect Fit

PART NO.	SIZE	TYPE	DESCRIPTION
APRON2000	53" L x 44" W (135cm L x 112cm W)	Sleeveless (Regular)	Multi-Purpose Waterproof Apron
APRON2100	57" L x 58" W (145cm L x 147cm W)	Sleeveless (X-Large)	Multi-Purpose Waterproof Apron

EZ CLICK2 SYSTEM

TILE LEVELING SYSTEM FOR EDGES AND CORNERS

EZ Click2



Tightens and Releases by Hand
(No Tools Required)

- Designed for Wet Installation of 3/4" (2cm) Thick Pavers
- Instant Screw Ejection Leveling System
- Proprietary Scratch-Prevention Edge
- Built-in Spacer Calibration: 1mm and 4mm available
- Color Coded Base Screws for Easy Identification
- Cap Can Be Re-Used More Than 500 Times



PART NO.	SIZE	TYPE	COLOR	QTY
EZCLICKCP		Screw Cap		50
EZCLB10W2	1/32" (1.0mm)	Linear Joint Base Screw	White	200
EZCLB40B2	5/32" (4.0mm)	Linear Joint Base Screw	Black	200




Alpha Professional Tools®




Nichigo G-Tape

FLASHING AND JOIST PROTECTION TAPE


All Purpose Protection & Repair Tape



Caution Areas Tape



Extra UV Protection



Acrylic Flashing Tape



G-TAPE

ALL PURPOSE
PROTECTION & REPAIR TAPE

Nichigo G-Tape™ 1000 Series

Multi-Purpose Surface Protection and Repair Tape



- Hand Tearing-Straight and Easy
- Residue Free Removal
- Waterproof
- All-Weather Usage (-40°F to +176°F / -40°C to +80°C)
- Repositionable
- Highly Weather/UV Resistant
- Good Surface Protection
- Great for Quick Repairs
- Easily Mark Tape with Ball Point Pen, Permanent Marker, China Marker, etc.
- Available as a single roll or Case of 30 pcs.

PART NO.	COLOR	SIZE	BOND TYPE
1009CL-GT-2-164	Clear	2" x 164' (50mm x 50m)	Removable
1009GR-GT-2-164	Green	2" x 164' (50mm x 50m)	Removable
1006TG-GT-2-82	Black & Yellow	2" x 82' (50mm x 25m)	Removable

Nichigo G-Tape™ 1008 Series

Long Term Masking and Storage



- Surface Protection of Metallic Raw Materials In Outdoor Settings
- Long Term Masking For Painting And Welding
- Hand Tearing-Straight and Easy
- Scrap-Less: Face To Face Contact Of Adhesive Separates Without Damaging The Adhesive
- High Weather Resistance: Residue Free Removal Even After 6 Months
- Repositionable
- All-Weather Usage (-40°F to +176°F / -40°C to +80°C)

PART NO.	COLOR	SIZE	BOND TYPE
1008BK-GT-2-164	Black	2" x 164' (50mm x 50m)	Removable
1008SW-GT-2-164	White	2" x 164' (50mm x 50m)	Removable

G-TAPE

FLASHING & JOIST
PROTECTION TAPE**Nichigo G-Tape™ 3035 Series****Self-Adhering Flashing Tape (Without Liner)**

- Designed for Seaming, Splicing Of Insulation Sheets, House Wraps, And Wall Boards
- Easy To Tear By Hands Straight
- Perfect for Use As A Waterproofing Tape On Outdoor Deck's Rafter
- Great for Seaming, Splicing Around Window Frame
- Scrap-Less: Face To Face Contact Of Adhesive Separates Without Damaging The Adhesive
- Lightweight: 50 To 70% Lighter Than Conventional Window Flashing Tape
- Highly Weather/UV Resistant
- All-Weather Usage (-40°F to +176°F / -40°C to +80°C)
- Meets AAMA 711-13; Type A (without primer), Level 3 (exposure up to 176°F) and AC 148

PART NO.	COLOR	SIZE	BOND TYPE
3035BK-GT-2-65	Black	2" x 65' (50mm x 20m)	Permanent
3035BK-GT-3-65	Black	3" x 65' (75mm x 20m)	Permanent
3035BK-GT-4-65	Black	4" x 65' (100mm x 20m)	Permanent

Nichigo G-Tape™ 3040 Series**High Adhesion Acrylic Flashing Tape**

- Perfect Flashing for Windows, Doors, & Deck Beams
- Hand Tearing-Straight and Easy
- Waterproof
- All-Weather Usage (-40°F to +176°F / -40°C to +80°C)
- AAMA 7-11 Level 3 Class A Certified
- Highly Weather/UV Resistant
- Permanent Adhesion
- Cleanly Removes from Face-to-Face Adhesive Contact
- Available as a single roll or by the case

PART NO.	COLOR	SIZE	BOND TYPE
3040BK-GT-2-65	Black	2" x 65' (50mm x 20m)	Permanent
3040BK-GT-4-65	Black	4" x 65' (100mm x 20m)	Permanent
3040BK-GT-6-65	Black	6" x 65' (150mm x 20m)	Permanent
3040BK-GT-9-65	Black	9" x 65' (225mm x 20m)	Permanent
3040BK-GT-12-65	Black	12" x 65' (300mm x 20m)	Permanent

G-TAPE

ALL PURPOSE PROTECTION & REPAIR TAPE

Nichigo G-Tape™ 3045 Series

Self-Adhering Flashing Tape



- Designed for Seaming Various Rubber Sheets with A High Static Shear To Rubber
- Excellent Adhesion To Rubber (Ex. Ethylene Propylene Diene (EPDM) Rubber)
- Easy To Tear By Hands Straight: No Cutting Tool Is Required
- Scrap-Less: Face To Face Contact Of Adhesive Separates Without Damaging The Adhesive
- Great Replacement For Asphalt Tape And/Or Butyl Tape
- Repositionable – No Wrinkles When Applied
- All-Weather Usage (-40°F to +176°F / -40°C to +80°C)
- Meets AAMA 711-13; Type A (without primer), Level 3 (exposure up to 176°F) and AC 148

PART NO.	COLOR	SIZE	BOND TYPE
3045BK-GT-2-65	Black	2" x 65' (50mm x 20m)	Permanent
3045BK-GT-3-65	Black	3" x 65' (75mm x 20m)	Permanent
3045BK-GT-4-65	Black	4" x 65' (100mm x 20m)	Permanent
3045BK-GT-6-65	Black	6" x 65' (150mm x 20m)	Permanent
3045BK-GT-9-65	Black	9" x 65' (225mm x 20m)	Permanent
3045BK-GT-12-65	Black	12" x 65' (300mm x 20m)	Permanent

Surface Protection Tape

Repositionable Waterproof Surface Protection Tape



- Protects Surfaces from Scratches, Stains and Etching
- Applicable for All Stone Faces Including Marble and Limestone
- Can Be Used for Wet and Dry applications
- Easily Mark Tape with Ball Point Pen, Permanent Marker, China Marker, etc.
- Hand Tearing-Straight and Easy
- Residue Free Removal
- All-Weather Usage (-40°F to +176°F / -40°C to +80°C)
- Repositionable

PART NO.	COLOR	SIZE	BOND TYPE
BAB0650	Black	6" x 164' (150mm x 50m)	Large Surface Protection
2010BK-GT-2-164	Black	2" x 164' (50mm x 50m)	Removable
2010BK-GT-6-164	Black	6" x 164' (150mm x 50m)	Removable

RSR-2000

RUST STAIN REMOVER
IN GEL FORM



- Removes Common Rust Stains From Natural Stone Surfaces, Concrete, Brick, Terra Cotta, Mexican Tile, or Other Hard Porous Surfaces
- Specially Formulated To Work Extremely Fast
- Non-Hazardous Chemical Is Safe To Use and Will Not Harm The Environment
- Use On Floors, Countertops, Vertical Surfaces and Exterior Areas
- Available in 14oz Tube or Trial Size 1.4oz Bottle
- Tube Covers Approximately 4 sqft



PART NO.	SIZE	CONTAINER
RSR-400G	14 oz. (400g)	Tube
RSR-040G	1.4 oz. (40g)	Bottle

AKEMI® AKENOVA®


NEXT GEN GLUE FOR INDOOR/OUTDOOR APPLICATIONS



- Bonding of all Hardscape Materials
- Extra Bonding Strengths for Heavy Duty Applications
- Quick Application
- No Downtime to dry materials before bonding
- For Vertical, Horizontal and Overhead Bonding
- For Underwater Bondings] (e.g. Tile Replacement and Underwater)
- Cap/Retaining Wall Adhesion

AKENOVA ROCKET 200

- *Nearly Instant Bonding, Semi-Flexible after cure*
- *Bonding strength 952 PSI*



PART NO.	SIZE	COLOR	CONTAINER
10331	290 ml	White 1130	Rocket 200 cartridge
10332	290 ml	Grey 1830	Rocket 200 cartridge
45078	290 ml		Silicone cartridge nozzle

Index

A

AIR-680UW 16
Akenova Rocket 200 70
Antique Brush Wheels 50
Apron 63
Apron - Hoodie 62

B

Black Belt Blade 6
Black Belt Rail Saws BBS-012 5
Black Belt Rail Saws BBS-014 6

C

Ceramica EX 49
Ceramica Metal 49
Contour Porcelain/Cryst. Glass 35
Contour Granite & Eng. Stone 36
Core Bit Extender 45

D

Diamond Blade Redressing Tool 40
Dressing Stick 40
Drill Bit Guide 47

E

Eased EdgeTile Bullnose Kit 25
ECC-125 14
ECC-KIT 15
ECG-900 7
Ecoguard CX Series 53
Ecoguard GX Series 52
Ecoguard CD 54
Ecoguard G 54
Ecoguard W Series 55
Electroplated Drill Bits 46
Elite Q 28
ESC-125 12
ESC-125 Channel Cutting Kit 13
ESC-150 6" Wet/Dry Stone Cutter 9
ESC-150 Miter Cutting Kit 11
EZ Click System 64

F

Flexible Backer Pad 51

G

Ground Fault
Circuit Interrupter 60
G-Tape 65
GV Backer Pads 51

H

HardscapePro Q 26
Hand Pads 48
HEPA Vacuum 56
Hot-Rod 37

K

Katana 26
Katana Q 27

L

Laser Core Bit 44
Libero 28
Lumbar Support Belt 59

M

Mason Master 38
Modern Edge Coping Kit 25

P

Paver Tile Bullnose Kit 24
Plasterking Resin 18
Plus 29
Pool Coping Kit 22
Porcellana 31
Porcellana For PRS 31
Profiler B-Series 41
Profiler V-Series 42
Profiler Z-Series 42
PT Cutter 38
Pull-To-Cut Shroud Kits 53

Q

Q-Cut 30
Quad Adapters 40
Quad-W Adapters 28

R

Rescue 39
Rigid Backer Pad 51
Rotary Backer Pad 21
RSR-2000 69

S

Safety Glasses 60
Safety Vest 60
Sandpaper 50
Spike Disc 43

T

Tile Bullnose Kit 25
Tuckpoint 39

U

Ultracut APR Series 34
Ultracut GPM Series 29

V

Vacuum Brazed Trimmer Bit 46
VDP-700 19
Vetro 32
Vetro For PRS 32
Vortex For Granite 33
Vortex For Marble 33
VSP-320 23

W

Wet Blade Cutting Kit 58, 59
Wet Sanding/Polishing Kit 59
Wool Pads 21

Product Literature

Catalogs

Alpha® provides printed and digital product catalogs to best serve the particular needs of our customers. We offer versions for applications such as hand tooling and large machine tooling, as well as for specific industries such as stone, tile, hardscape and construction.

To request these catalogs, or for more information about our product line, visit our website at www.alpha-tools.com or contact us at 800-648-7229.



ALPHA® TOOL REPAIR

- Authorized repair centers available
- All tool repairs carry a 30-day warranty
- Quick turn-around time
- Technical support for repair and maintenance
- Order replacement tool parts directly from Alpha®
- Loaner program available

Visit our website to find a local center



Let's get social...



We are ready to connect with you on your favorite social media sites... Join Us Today!

 **Alpha Professional Tools®**

16 Park Dr Ste 9, Franklin, NJ 07416
800-648-7229

www.alpha-tools.com

