



# Nichigo G-Tape


MULTI-PURPOSE SURFACE PROTECTION AND REPAIR TAPE

## INNOVATIVE SOLUTIONS

### Key Features and Benefits

- Hand Tearing-Straight & Easy
- Residue Free Removal †
- Waterproof
- All-Weather Usage (-40°F to +176°F)
- Repositionable\*  
(3000 Series is Permanent)
- Great for Quick Repairs
- Highly Weather/UV Resistant
- Good Surface Protection

LDPE film \_\_\_\_\_  
 HDPE cloth \_\_\_\_\_  
 LDPE film \_\_\_\_\_  
 Acrylic PSA layer \_\_\_\_\_



All G-Tape™ products feature a patented combination of solvent acrylic adhesive with an advanced backing substrate that results in unmatched performance.

† Always test product on a small area before using



2" Green  
(1009GR)



2" White  
(1008SW)



2" Caution  
(1006TG)



6" Black  
(BAB0650)



2", 3", 4", 6", 9", 12" Black  
(3035BK) Permanent  
(3040BK) Permanent  
(3045BK) Permanent

# Multi-Purpose Tape




164'

## Multi-Purpose Surface Protection and Repair Tape

- Hand Tearing-Straight and Easy
- Residue Free Removal
- Waterproof
- All-Weather Usage (-40°F to +176°F)
- Repositionable
- Highly Weather/UV Resistant
- Good Surface Protection
- Great for Quick Repairs
- Easily Mark Tape with Ball Point Pen, Permanent Marker, China Marker, etc.
- Available as a single roll or Case of 30 pcs.

AVAILABLE AS A SINGLE ROLL OR BY THE CASE (30)



PART NO.	COLOR	SIZE	RECOMMENDED FOR	DESCRIPTION
1009GR-GT-2-164	Green	2" x 164' (50mm x 50m)	Multi-Purpose - All Surfaces	Nichigo G-Tape™ 1009GR
1009CL-GT-2-164	Clear	2" x 164' (50mm x 50m)	Multi-Purpose - All Surfaces	Nichigo G-Tape™ 1009CL

# Extra UV Protection



164'

## Multi-Purpose Surface Protection and Repair Tape for High UV Areas

- Surface Protection of Metallic Raw Materials In Outdoor Settings
- Long Term Masking For Painting And Welding During Construction
- Easy To Tear By Hands Straight: No Cutting Tool Is Required
- Scrap-Less: Face To Face Contact Of Adhesive Separates Without Damaging The Adhesive
- High Weather Resistance: Residue Free Removal Even After 6 Months
- Repositionable - No Wrinkles When Applied • All-Weather Usage (-40°F to +176°F)

AVAILABLE AS A SINGLE ROLL OR BY THE CASE (30)



PART NO.	COLOR	SIZE	RECOMMENDED FOR	DESCRIPTION
1008SW-GT-2-164	White	2" x 164' (50mm x 50m)	Extra UV Protection	Nichigo G-Tape™ 1008SW
1008BK-GT-2-164	Black	2" x 164' (50mm x 50m)	Extra UV Protection	Nichigo G-Tape™ 1008BK



Permanent Adhesion

# Acrylic Flashing Tape



65'

## High Adhesion Acrylic Flashing Tape

- Perfect Flashing for Windows, Doors, & Deck Beams
- Hand Tearing-Straight and Easy
- Waterproof
- All-Weather Usage (-40°F to +176°F)
- AAMA 7-11 Level 3 Class A Certified
- Highly Weather/UV Resistant
- Great Performance and Ease of Use
- Permanent Adhesion
- Cleanly Removes from Face-to-Face Adhesive Contact
- Perfect for Use As A Waterproofing Tape On Outdoor Deck's Rafter
- Lightweight: 50 To 70% Lighter Than Conventional Window Flashing Tape
- Designed for Seaming, Splicing Of Insulation Sheets, House Wraps, And Wall Boards
- Scrap-Less: Face To Face Contact Of Adhesive Separates Without Damaging The Adhesive
- Ideal For Masking For Concrete, Stucco, Mortars, And Bricks
- Available as a single roll or by the case

AVAILABLE AS A SINGLE ROLL OR BY THE CASE



PART NO.	COLOR	SIZE	TYPE	RECOMMENDED FOR	DESCRIPTION
3035BK-GT-2-65	Black	2" x 65'	Linerless Flashing	Self-Adhering Flashing	Nichigo G-Tape™ 3035BK
3035BK-GT-3-65	Black	3" x 65'	Linerless Flashing	Self-Adhering Flashing	Nichigo G-Tape™ 3035BK
3035BK-GT-4-65	Black	4" x 65'	Linerless Flashing	Self-Adhering Flashing	Nichigo G-Tape™ 30435K
3040BK-GT-2-65	Black	2" x 65'	Acrylic/Flashing	Permanent Bonding	Nichigo G-Tape™ 3040BK
3040BK-GT-4-65	Black	4" x 65'	Acrylic/Flashing	Permanent Bonding	Nichigo G-Tape™ 3040BK
3040BK-GT-6-65	Black	6" x 65'	Acrylic/Flashing	Permanent Bonding	Nichigo G-Tape™ 3040BK
3040BK-GT-9-65	Black	9" x 65'	Acrylic/Flashing	Permanent Bonding	Nichigo G-Tape™ 3040BK
3040BK-GT-12-65	Black	12" x 65'	Acrylic/Flashing	Permanent Bonding	Nichigo G-Tape™ 3040BK
3045BK-GT-2-65	Black	2" x 65'	Premium Low Surface Energy Flashing	Seaming Rubber	Nichigo G-Tape™ 3045BK
3045BK-GT-3-65	Black	3" x 65'	Premium Low Surface Energy Flashing	Seaming Rubber	Nichigo G-Tape™ 3045BK
3045BK-GT-4-65	Black	4" x 65'	Premium Low Surface Energy Flashing	Seaming Rubber	Nichigo G-Tape™ 3045BK
3045BK-GT-6-65	Black	6" x 65'	Premium Low Surface Energy Flashing	Seaming Rubber	Nichigo G-Tape™ 3045BK
3045BK-GT-9-65	Black	9" x 65'	Premium Low Surface Energy Flashing	Seaming Rubber	Nichigo G-Tape™ 3045BK
3045BK-GT-12-65	Black	12" x 65'	Premium Low Surface Energy Flashing	Seaming Rubber	Nichigo G-Tape™ 3045BK



# Surface Protection




164'

## Repositionable Waterproof Surface Protection Tape

- Protects Surfaces from Scratches, Stains and Etching
- Easily Mark Tape with Ball Point Pen, Permanent Marker, China Marker, etc.
- Applicable for All Stone Faces Including Marble and Limestone
- Can Be Used for Wet and Dry applications

AVAILABLE AS A SINGLE ROLL OR BY THE CASE (12)



PART NO.	COLOR	SIZE	RECOMMENDED FOR	DESCRIPTION
BAB0650	Black	6" x 164' (150mm x 50m)	Large Surface Protection	Nichigo G-Tape™ 2010BK

# Caution Areas Tape



82'

## Multi-Purpose Surface Protection and Repair Tape

- Hand Tearing–Straight and Easy
- Residue Free Removal
- Waterproof
- All-Weather Usage (-40°F to +176F)
- Repositionable
- Highly Weather/UV Resistant
- Good Surface Protection
- Great for Quick Repairs

AVAILABLE AS A SINGLE ROLL OR BY THE CASE (30)



PART NO.	COLOR	SIZE	RECOMMENDED FOR	DESCRIPTION
1006TG-GT-2-82	Black & Yellow	2" x 82' (50mm x 25m)	Surface Protection Series	Nichigo G-Tape™ 1000



16 Park Dr Ste 9, Franklin, NJ 07416 • 800-648-7229  
www.alpha-tools.com

Copyright © 2024 Alpha Professional Tools. All rights reserved.



FL2230-04/24