SICIS ART GLASS PANEL TOOLING

Providing Better Solutions to the Professional VERSION 04/2023

ALPHA

16 Park Dr Ste 9, Franklin, NJ 07416 800-648-7229 www.alpha-tools.com

ESC-150 WET/DRY STONE CUTTER ELECTRIC STONE CUTTER FOR INDUSTRIAL APPLICATIONS



VSP-320 VARIABLE SPEED WET POLISHER



• Variable Speed 700-2500 RPM

- Heavy-Duty Gear System with Step-Down Transmission
- 15ft. Flexible All-Weather Water Hose
- 15ft. Electrical Power Cord Has An Inline GFCI
- EasyOn-EasyOff Sleeve Improves Maneuverability
- Adjustable Splash Guard
- Center Water-Feed System
- Ventilation Cap Diverts Water from Getting Into Motor Housing
- C-Handle & Side Handle for User Convenience
- · One Year Warranty (See website for details)

SPECIFICATIONS			
Model	VSP-320		
Rating	120 Volts		
Amperage	7.0A		
Power	800W		
No Load Speed (min-1)70	0-2500 RPM		
Weight	7.3 lbs		
Spindle	5/8"-11		
Power Supply .Single-phase	AC, 50/60Hz		
Plug Type	A(120V)		
Cord	15ft		
Polishing Disc Size	4"		

EQUIPMENT INCLUDED

Ground Fault Circuit Interrupter*
Flexible Hose w/ Garden Hose Adapter*
Wrench
C-Handle w/ Mounting Screws*
Side Handle (Reversible)
Extra Carbon Brush Set
Ventilation Cap w/ Rubber Band*
Splash Guard w/ Clamp
EasyOn-EasyOff Sleeve*

<section-header></section-header>	 Produces Straight and True C Powers Through Hard Dense Hard Red Granites and Engin Water-Feed Supply Eliminate Base Plate Allows Guides To F Included Self-Stick Felt Strips From Scratches Built-In GFCI (Ground Fault C One Year Warranty (See webs) 	Materials, Such As, Porcelain eered Stone s The Harmful Dust Particles e Used in Multiple Ways Protects The Work Surface rcuit Interrupter)	SPECIFICATIONS ModelAWS-110 Rating120 Volts Amperage 120 Volts Amperage 11.2A Power 1200W No Load Speed (min-1)13,000 RPM Weight 6.8 lbs Arbor
PART NO. SIZE AWS-110 4-1/2"		OR(S) DESCRIPTION mm 13,000	Self-stick Felt Strip Set

НЕРА1035	Visual And Acoustic Warning Signal Dust-Tight Lockable Connection Nozzle Easy-To Clean Blow-Out Filter Flat Surface on The Motor Head Optional Adapter Plate for All Common Tool	vashing; Done Every 45 Seconds Cases
		SPECIFICATIONS: Model: HEPA1035/HEPA1050 Function: HEPA Wet/Dry Vacuum Rating: 120 Volts Frequency: 50Hz - 60Hz Amperage: 9.0A Power: 1080W Weight: 33 lbs (15 kgs)/35 lbs (16 kgs) Cord Length: 33ft (10m) 3/14 AWG Hose Size: 1.5in x 16.4ft (5m) Tank Capacity: 9.3 Gal (35 L)/13.2 Gal (50 L) Filter Capacity: 5.3 Gal (20 L)/7.9 Gal (30 L) Air Flow Rate: 157 CFM Water Lift:

ECOGUARD G5 KIT DUST COLLECTION KIT FOR GRINDING APPLICATIONS



- Designed for Collecting Dust When Using A High-Speed Angle Grinder
- Accepts Grinding Wheels Up To: 5" (G5)
- Rugged Construction for Heavy-Duty Applications
- Perfect for Grinding and Sanding or Surface Preparation Work
- Can Grind Tight Against The Wall
- Clear Cover for Better Visibility
- Fits On Most High-Speed Angle Grinders: 4-1/2"- 5" (G5)
- Easy Installation and Wheel Changes
- Removes More Than 90% of the Dust
- Must Be Used with A Vacuum

PART NO.	SIZE	DESCRIPTION
ECOGKIT	5"	Ecoguard G5 & 18" Connector Hose Kit

LIBERO BLADE BEST DRY CUTTING ELECTROPLATED



- Specially Designed for Marble and Limestone
- Recommended for Onyx
- Highest Quality Diamond Edge for Chip-Free Cutting
- Best Dry Cutting Electroplated Blade on the Market
- · Precise Cutting Performance on Softer Stone

PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)
DL0478	4"	0.8mm	14,500	7/8", 20mm, 5/8"
DL05A+	4-1/2"	0.8mm	13,200	7/8", 20mm

VETRO BLADE THE ULTIMATE WET BLADE FOR GLASS TILE



Best Wet Cutting Glass Blade on the Market

- Designed for Chip-Free Cutting
- Tile Installer's Choice for Glass Tile
- · Chip-Free Cutting on Most Demanding Applications
- Wet Use Only

PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)
WG0438	4-3/8"	1.0mm	13,200	7/8", 20mm
WG1000	10"	1.6mm	5,900	5/8"

CORDLESS SAW BLADE WET SAW BLADE FOR GLASS



- Wet Use Only
- Ideal for Switch Box Cut-Out and Trimming
- Perfect for Mirror, Glass and Glass Tile
- Specially Designed for Cordless Saw
- · Chip-Free Wet Cutting for Glass Tile and Sheet Glass
- Cordless Saw Blade for Glass

PART NO.	SIZE	THICKNESS	MAXIMUM RPM	ARBOR(S)
BG03AL	3-3/8"	0.9mm	1,500	15mm

EZ SLIMLINE OIL CUTTER HIGH-PRECISION CUTTER

- Tungsten-Carbide wheel on a Tungsten-Carbide axle provides the cleanest score and a long, wobble-free life
- Shaped and tapered clear plastic handle with profiled grip is ideal for tile contractors, artists, and craftsmen





EZ THIN PANEL T-CUTTER SMOOTH EASY CUTS

- The smooth-running, fast-cutting, easy-to-use manual glass cutter for sheet glass or thin panel materials
- Highly adaptable and quickly adjusts for odd-sized pieces as well as low maintenance and long service life
- Makes perfect parallel cut to the guide edge with little effort

RECOMMENDED FOR	DESCRIPTION
Up to 24"	EZ Thin Panel T-Cutter 24"
Up to 60"	EZ Thin Panel T-Cutter 60"
	Up to 24"



EZ GLASS RUNNING PLIERS CLEAN BREAKS EVERYTIME

- Lightweight aluminum plier can be used on various thicknesses of glass
- from 5mm to 12mmOff-set handle provides clean and quick breaks
- The high-density plastic jaws will not chip or mark your glass





EZ TILE CUTTER LUBRICANT

• Unique Oil-Feed System Controls Oil Flow To Suit The Individual Needs

PART NO.	RECOMMENDED FOR	DESCRIPTION
KOC1000	EZ Tile Cutter Lubricant	EZ Cutter Oil - 8oz. (237ml)



CORNER RULER


PH

UNIQUE TOOLS FOR FABRICATING CORNERS

- Mark, Cut and Grind The Square Corners of Glass, Tile, Stone, Porcelain Plastic and Wood
- Sets Comes with Either Two Radiuses or Two 45-Degree Straight Lines



• Sets Come in A Stainless Steel Case for Organization





PART NO.	DESCRIPTION
CRRSET7	Ruler Radius Set w/Case
CRSSET7	Ruler Straight Set w/Case

ELECTROPLATED DRILL BITS

PREMIUM DRILL BITS FOR DRILLING ANCHOR HOLES

- Designed for Drilling Holes in Tile and Stone for Pre-Installation or Post-Installation Placement

- Works Great On Marble, Granite, Engineered Stone, Ceramic, Porcelain and Glass Tile and Panels
- Can Be Used On A Standard 3/8" or Larger Drill
- Can Fit On Water-Fed Polishers with 5/8"-11 Spindles Using The Drill Bit Adapter
- Ideal for Drilling Holes for Anchors for Bathroom Fixtures, Faucet and Plumbing Pipes
- Available in 3/16", 1/4", 5/16", 3/8", 1/2", 1-3/8" and 1-1/2" Sizes
- A Must-Have for The Tile Installer's Tool Box
- Wet Use Only

PART NO.	DIAMETER	MAXIMUM RPM	ТҮРЕ
CH7210	3/8"	3,500	3/8" Shank
CH7235	1-3/8"	3,500	3/8" Shank
CH7240	1-1/2"	3,500	3/8" Shank
CH1058			Adapter 10mm to 5/8"*

HAND PADS HAND POLISHING PADS

- Convenient, On-Site Polishing, On Materials
- Use On Glass, Ceramics, Marble, Granite, Porcelain, Concrete, Terrazzo and Quartz Surfaces
- Two Bond Types To Provide The Best Possible Finish
- · Available in Electroplated and Resin Grits
- Can Be Used Wet or Dry •



PART NO. GRIT COLOR BOND TYPE DHPKIT SET OF ALL 7

CERAMICA EX WET POLISHING OF ALL STONES

- Produces A High-Quality Shine
- **Polishes On All Materials** •
- Ideal for Polishing Inside Corners and A Tight Radius
- Works Very Well On Tough Materials Including Tough To Polish Black and Green Marbles
- Extremely Flexible

PART NO.	SIZE	TYPE	GRIT	COLOR
EX40KIT	4"	Hook & Loop	1 Each	Assortment

PVA VP VERSATILE, HIGH-SPEED DRY POLISHING SYSTEM



- Designed To Polish Softer Stones, Marble, Limestone, Travertine and Ceramic
- Can Be Used On Polishers, Sanders and Grinders At Any RPM
- Versatile, High-Speed and Long Lasting

SIZE

4-1/2"

4-1/2"

4-1/2"

• 4-1/2" Discs Do Not Clog

PART NO.

SPVA45WH

SPVA45RH

SPVA45GH

• Formulated with A Silicon Carbide Abrasive and A Polyvinyl Alcohol Bond

ARBOR

5/8"-11

5/8"-11

5/8"-11

- Grits Range From Extra Coarse To Extra Fine
- Available with A 5/8"-11 Disposable Zinc Hub

GRIT

40

80

400





FLEXIBLE BACKER PAD

IDEAL FOR TOUGH CONTOURS AND INSIDE CURVES



- High-Quality Backer Pad Is Extremely FlexibleIdeal for Tough Contours and Inside Curves
- Hook and Loop Backed
- Highly Resistant To The Rigors Of Daily Use Provides A Long Life

FINISH

Extra Coarse Coarse

Fine

Accepts Polishing Pads, Sandpaper and Felt Wheels

PART NO.	SIZE	MAX RPM	THREAD
GP45/8PD	4"	6,000	5/8"-11

SANDPAPER CONCRETE AND MARBLE POLISHING

- Waterproof Hook and Loop Backed Silicon Carbide Abrasive
- Use On Marbles and Softer Types of Natural Stone
- Can Also Be Used To Polish Glass, Metal and Wood
- Very Adaptable To Onsite Work and Easy To Use
- Resists Clogging When Used Wet



• Can Be Used Wet or Dry



			100/01
PART NO.	SIZE	GRIT	QUANTITY
MP40080	4″	80	50
MP40KIT	4"	Assortment	50



SURFACE PROTECTION TAPE REPOSITIONABLE WATERPROOF SURFACE PROTECTION TAPE

164'	-	Applicab Limestor Easily Ma Marker, C Can Be U	le for All Sto ne ark Tape witl China Marke Ised for Wet	m Scratches, Stains and one Faces Including Mark n Ball Point Pen, Perman r, etc. and Dry applications E ROLL OR BY THE CASE (1	ble and ent
	PART NO.	COLOR	SIZE	RECOMMENDED FOR	DESCRIPTION
	BAB0650	Black	6" x 164'	Large Surface Protection	Nichigo G-Tape™ 2010BK



APRON AULTI-PURPC	DSE APRON S	LEEVELESS		
ALPHA	 Sleeveless with Wide Straps for Ease and Comfort Bright Neon Yellow Color Provides Greater Visibility Perfect for Wet or Dry Environments Protects From Dust, Water and Other Chemicals Dual-Adjustable Clips Makes For A Perfect Fit 			Image: wide wide wide wide wide wide wide wide
PART NO.	SIZE	TYPE	DESCRIPTION	Harris The second secon
APRON2000	55"L X 60"W Sleeveless Multi-Purpose Waterproof Apron (One Size Fits All)			





DESCRIPTION

Nichigo G-Tape[™] 1009GR

💋 Alpha Professional Tools®

16 Park Dr Ste 9, Franklin, NJ 07416 • 800-648-7229 www.alpha-tools.com